




CENTER FOR WATERSHED PROTECTION



THE SMART WATERSHED BENCHMARKING TOOL



Center for Watershed Protection
JANUARY 2006

The Smart Watershed Benchmarking Tool

Prepared by:
Pam Rowe and Tom Schueler
The Center for Watershed Protection
8390 Main Street, 2nd Floor
Ellicott City, MD 21043
www.cwp.org



Produced for:
Office of Wetlands, Oceans and Watersheds
U.S. Environmental Protection Agency
1301 Constitution Ave. NW
Washington, DC 20004

January 2006

*Copyright ©2006 by the Center for Watershed Protection.
Material may be quoted provided credit is given.
Printed in the United States of America on recycled paper.*

FOREWORD

There is a continuing need to address the ongoing impacts of stormwater runoff in urban watersheds to improve water quality and designated uses in urban rivers and streams. Increasingly, state and federal regulatory programs are focusing on how to restore the quality of the nation's degraded urban waters. For example, more than 1,000 communities are currently permitted under Phase I MS4 NPDES stormwater permits and an additional 5,000 communities will be captured by Phase II MS4 stormwater permits (U.S. EPA, 1999 and 2000).

This document distills the lessons learned from around the country into a self-assessment tool to help local communities integrate and align their urban watershed programs to meet their water resource goals. What exactly is meant by integrate and align? Program integration is the extent to which municipalities coordinate individual planning, restoration and education programs to focus them on clear watershed restoration goals. Program alignment refers to the geographic targeting of restoration programs to priority sub-watersheds. The tool is designed to help local program managers and watershed groups make better decisions on watershed restoration priorities to maximize the performance of staff and financial resources.

Many individuals contributed significantly to the development of the Smart Watershed benchmarking tool. We are grateful to the many communities that assisted us with this project.

Survey respondents that helped lay the groundwork for Smart Watershed project include the following:

Andre Bruckin, El Paso County, CO
Andy Haub, City of Olympia, WA
Barry Fitz-James, Stafford County, VA
Betsy Pearce, Town of Cary, NC
Bill Hicks, City of Alexandria, VA
Bill Schwer, City of Creve Coeur, MO
Bill Stack, City of Baltimore, MD
Bob Ragland, Forsyth County, NC
Brant Keller, City of Giffin, GA
Cameron Wiegand, Montgomery County, MD
Chris Haese, Neenah, WI
Chuck Gottfried, Springfield, OR
Dan Painter, City of Manassas Park, VA
Darren Greenwood, City of Livermore, CA
David Hirschman, Albemarle County, VA
Donald DiMartino, Town of Bellingham, MA
Donna Meyers, City of Santa Cruz, CA
Drew Kleis, City of San Diego, CA
Eric Evenson, Minnehaha Creek Watershed District, MN
Eric Hielema, City of Lacey, WA
Erica Shingara, City of Gaithersburg, MD
Frank Annunziata, Town of New Castle, NY
Gene Medley, City of Lakeland, FL
Greg Fries, City of Madison, WI
Janis Bobrin, Washtenaw County, MI
Jeff Bliemel, Poquoson, VA
Jeff Polenske, City of Milwaukee, WI
Jim Dedrick, Douglas County, CO
Jon Spangler, City of Redmond, WA

Joseph Skupien, Somerset County, NJ
Kate O’Laughlin, King County, WA
Kathy Shay, City of Austin, TX
Keith Dersham, City of Adrian, MI
Kim Coy, City of Akron, OH
Leslie Kane, Town of Guilford, CT
Lydia Scott, Village of Lincolnshire, IL
Mary Dillingham, Auburn, ME
Mikel Renner, Southwest FL Water Management District
Neal Shapiro, City of Santa Monica, CA
Ondrea Hummel, City of Albuquerque, NM
Patricia Werner, Lake County, IL
Phil Cohen, Island County, WA
Rick Watson, City of Bellevue, WA
Shahram Missaghi, City of Plymouth, MN
Sharam Kharaghan, City of Los Angeles, CA
Steve Roy, City of Burlington, VT
Steve Wallander, New York City, NY
Timothy Smith, Greene County, MO
Todd Williams, Maricopa Flood Control District, FL

The following individuals helped review an earlier draft of the benchmarking tool:

Bethany Georgoulas, NC Division of Water Quality
Lisa Nisenson, U.S. EPA Office of Smart Growth
Bill Stack, City of Baltimore, MD
Neal Shapiro, City of Santa Monica, CA
Bradley Bennett, NC Division of Water Quality
Paula Estornell, U.S. EPA Region III
Cameron Wiegand, Montgomery County, MD
Tim Icke, U.S. EPA OWOW

Dawn Hottenroth, City of Portland, OR
Tom Davenport, U.S. EPA, Region V

Special thanks are extended to the following communities and individuals that provided detailed information and access to their programs to test the Benchmarking Tool:

City of Austin, TX:
Kathy Shay, Watershed Protection and Development Review Department

City of Santa Monica, CA:
Neal Shapiro, Department of Environmental & Public Works Management

Baltimore County, MD:
Steve Stewart, Department of Environmental Protection and Resource Management

Town of Cary, NC:
Betsy Pearce, Department of Public Works

City of Philadelphia, PA:
Tiffany LeDesma-Groll, Office of Watersheds

The Center staff that contributed to this report included Ted Brown, Hye Yeong Kwon, Lauren Lasher, Pamela Rowe, Tom Schueler, Chris Swann, and Jennifer Tomlinson. This project was funded by the United States Environmental Protection Agency Office of Water under cooperative agreement X7-83153601-1. Special thanks to Tim Icke, EPA project officer, for his patience and insightful review.

TABLE OF CONTENTS

Foreword	iii
Table of Contents	v
List of Acronyms	vi
Introduction	1
1.1 The History of the Smart Watershed Program	3
Chapter 1 Introduction to Smart Watersheds	3
1.2 The Benefits of Implementing Smart Watershed Programs	5
1.3 Suggested Uses of the Benchmarking Tool	6
Chapter 2 The 14 Smart Watershed Programs	9
Program 1 Subwatershed Restoration Planning	11
Program 2 Stream and Subwatershed Field Assessment	13
Program 3 Subwatershed Monitoring and Reporting	15
Program 4 Financing Watershed Restoration	17
Program 5 Management of Natural Area Remnants	19
Program 6 Stormwater Retrofitting	21
Program 7 Urban Stream Repair and Restoration	23
Program 8 Illicit Discharge Detection and Elimination	25
Program 9 Maintenance, Inspection and Enforcement	27
Program 10 Smart Site Practices During Redevelopment	29
Program 11 Watershed Education and Personal Stewardship	31
Program 12 Public Involvement and Neighborhood Consultation	33
Program 13 Pollution Prevention at Stormwater Hotspots	35
Program 14 Pollution Prevention at Municipal Operations	37
Chapter 3 Using the Smart Watershed Benchmarking Tool	39
3.1 Steps to Complete the Benchmarking Tool	42
3.2 Alternative Scoring System for Small Communities	45
3.3 Alternative Scoring for Communities that Lack Perennial Streams	46
3.4 Awarding Extra Credit Points	47
3.5 The Smart Watershed Benchmarking Tool	49
References	R-1

Glossary..... **G-1**

Appendix A Smart Watershed Program Budget Worksheet.....**A-1**

Appendix B Excerpts from the Consensus Document of the National Redevelopment Roundtable..... **B-1**

 The Smart Site Practices.....2

 Consensus Statement.....4

 Members of the Redevelopment and Infill Roundtable.....4

Appendix C Alternative Scoring Guidance for Small Communities.....**C-1**

Appendix D Revised Smart Watershed Scorecard for Communities that Lack a Perennial Stream Network**D-1**

LIST OF TABLES

Table 1: Summary of Smart Watershed Programs3

Table 2: Characteristics of Test Communities4

Table 3: Regulatory and Funding Drivers for Smart Watershed Programs.....6

Table 4: Overview of the Smart Watershed Benchmarking Tool39

Table 5: Standard Smart Watershed Benchmarking Tool Scorecard40

Table 6: Smart Watershed Benchmarking Grades For Large Communities44

Table 8: Smart Watershed Benchmarking Grades For Small Communities45

Table 9: Benchmarks That May Not Apply to Small Communities46

Table 10: Summary of Revised Scoring Benchmarks for Communities that Lack Perennial Streams .47

Table 11: Measuring Extra Credit Within Each Program Area48

LIST OF ACRONYMS

CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act (Superfund Program)
CSO	Combined Sewer Overflow
EPA	Environmental Protection Agency
FEMA	Federal Emergency Management Agency
GIS	Geographic Information System
MS4	Municipal Separate Storm Sewer System
NGOs	Non-Governmental Organizations
NPDES	National Pollutant Discharge Elimination System
P2	pollution prevention
RTE	rare, threatened and endangered species
TMDL	Total Maximum Daily Load

INTRODUCTION

This report presents a tool to help stormwater and watershed managers align their municipal restoration programs to meet local watershed goals and regulatory drivers. The term Smart Watershed refers to 14 different program areas that can be integrated together to restore urban watersheds.

According to the 2000 Census, 69% of the U.S. population lives in urbanized areas that occupy only 2% of the nation's land area. It is also projected that future population growth will produce additional infill and redevelopment pressure into these urbanized areas. One of the key tenets of Smart Growth is that redevelopment and infill should be directed to existing urbanized areas that already possess infrastructure. Development that occurs within an already developed watershed is preferred to development that happens in a rural watershed. Redevelopment can help absorb some of the demand for new housing and reduce pressure on rural watersheds. Redevelopment tends to concentrate density and impervious cover in existing urban watersheds, and can help to prevent sprawl from encroaching on more distant and less developed, higher quality watersheds.

While redevelopment and infill are desirable on a regional basis, they can contribute to already serious water quality problems in highly urban watersheds. Quite simply, highly urban watersheds are often degraded, do not meet water quality standards, and as a consequence are subject to many regulatory "drivers" that are complex, costly and confusing to implement.

This tool lays out a framework for pursuing a watershed-based approach to align municipal

restoration programs. The framework can help communities make better decisions on watershed restoration priorities and make the most out of limited funding and staffing resources.

Organization of the Report

The report is organized in three chapters. The first chapter presents an overview of Smart Watershed programs, outlines why they were developed, and reviews some of the benefits and applications of the benchmarking tool for local communities. Chapter 2 presents a series of detailed profile sheets that describe each of the 14 Smart Watershed programs. Each profile sheet contains the following elements:

- Program Description and Goal
- Benchmarks for the Program
- National Average of Program Activity
- A Case Study Illustrating an Outstanding Municipal Program
- Tips on Program Implementation
- Resources on the Program Area, including links to additional examples and technical resources

Chapter 3 presents the Smart Watershed benchmarking tool and contains step-by-step guidance on how to complete the tool and interpret community scores. The report also contains four appendices that provide further details on restoration budgeting and adapting the benchmarking tool for special community conditions.

CHAPTER 1

INTRODUCTION TO SMART WATERSHEDS

The term Smart Watershed refers to the integration and alignment of 14 municipal programs to treat stormwater runoff, restore stream corridors and reduce pollution discharges in urban watersheds (see Table 1). Taken together, the programs create a unified framework to integrate diverse programs and regulatory drivers into a coherent strategy to restore urban watersheds that measurably improves water quality.

TABLE 1: SUMMARY OF SMART WATERSHED PROGRAMS

1	Subwatershed Restoration Planning
2	Stream and Subwatershed Field Assessment
3	Subwatershed Monitoring and Reporting
4	Watershed Restoration Financing
5	Management of Natural Area Remnants
6	Stormwater Retrofitting
7	Urban Stream Repair/Restoration
8	Illicit Discharge Detection and Elimination
9	Maintenance, Inspection and Enforcement
10	Smart Site Practices During Redevelopment
11	Watershed Education and Personal Stewardship
12	Public Involvement and Neighborhood Consultation
13	Pollution Prevention at Stormwater Hotspots
14	Pollution Prevention at Municipal Operations

Each community differs in area, population, regulatory status and watershed goals. In the context of this document, three kinds of communities are defined, as follows:

- Small communities, with a population less than 50,000
- Medium communities have populations between 50,000 to 250,000 and are normally regulated under NPDES MS4 Phase I or II stormwater permits
- Large communities have populations greater than 250,000, and with a few exceptions, are regulated under NPDES MS4 Phase I stormwater permits

1.1 The History of the Smart Watershed Program

A basic tenet of the Center watershed management approach is that new growth should be directed to subwatersheds that are already impacted from existing development and away from more sensitive subwatersheds. Although redevelopment and infill are desirable on a regional basis, they have the potential to contribute to already serious water quality problems in highly urban watershed. These pervasive urban water quality problems, in turn, trigger increased regulation and compliance costs for many communities. At the same time, redevelopment can present opportunities to address existing water quality impairments – if a community has integrated watershed restoration programs in place.

Over the last five years, the Center has undertaken a series of national initiatives to develop tools to restore highly urban watersheds. The effort began when the Center convened a redevelopment roundtable in 2000. The roundtable consisted of a group of national and local experts who agreed on 11 design practices to apply to urban redevelopment and infill sites to reduce pollutant loads and improve runoff quality. These Smart Site practices, when applied together, reduce impervious cover, conserve natural area remnants and improve treatment of stormwater runoff at individual redevelopment and infill sites. Appendix B presents text from the consensus agreement on Smart Site practices.

While Smart Site practices help mitigate the impact of individual redevelopment projects, a broader approach was needed to organize municipal programs to restore conditions at the watershed scale. The genesis of Smart Watersheds was a series of meetings in 2001 with regional and national experts that focused on the challenges of managing growth in highly urban watersheds. The group agreed that a unified framework was urgently needed to organize municipal programs into a coherent strategy to restore urban watersheds.

The Center responded to this need by developing a national report card on municipal watershed restoration activity, based on a survey of more than 50 communities across the country. The report card had three major headlines. The first was that many communities have made dramatic progress in improving their overall watershed restoration capability in recent years. Predictably, more resto-

ration activity was reported for large communities, compared to medium and small communities.

The second key headline was that the integration of restoration programs has been poor in most communities, which has prevented them from achieving measurable improvements in water quality. This finding suggests many communities possess the tools, staff and financial resources to effectively restore urban watersheds, but need better coordination and integration to achieve better watershed results.

The third key headline was that the EPA and other regulatory agencies are increasingly requiring urban communities to quantify pollutant reductions to meet regulatory mandates — at the same time communities are having extreme difficulties in documenting improvements from long-term restoration programs.

Based on these findings, the Center produced a report in 2003 entitled *Integrating Local Programs to Achieve Measurable Progress in Urban Watershed Restoration*. The report outlined a unified framework to integrate 14 municipal programs to restore urban watersheds. The next step involved developing a benchmarking tool to help communities quantitatively assess their own restoration program performance. A draft benchmarking tool was developed in late 2004, which was subject to extensive review by local, state and federal agencies.

The benchmarking tool was then tested in five communities in 2005. As shown in Table 2, the

TABLE 2: CHARACTERISTICS OF TEST COMMUNITIES

Community	Population	MS4 NPDES Status
Santa Monica, CA	84,000	Phase I co-permittee*
Cary, NC	112,000	Phase II
Austin, TX	672,000	Phase I
Baltimore County, MD	755,000	Phase I
Philadelphia, PA	1,500,000	Phase I

* with the City of Los Angeles and other municipalities

test communities were diverse with respect to population, geographic area, and stormwater permit status. The test communities were also chosen since they had progressive watershed restoration and/or stormwater management programs. Center staff conducted on-site testing in cooperation with municipal staff over several weeks in each community. The purpose of the testing was to assess the applicability of benchmark questions, evaluate ways to make it easier to complete the tool, and calibrate the overall scoring for the tool.

Several major refinements were made to the benchmarking tool based on the testing phase.

For example, the tool was changed to provide:

- Alternative scoring system for small communities
- Alternative scoring system for communities that lack perennial streams (e.g., ultra-urban watersheds and arid regions)
- More guidance on deriving Smart Watershed budget data
- More guidance on a step-by-step process to complete the benchmarking tool
- Reduced scoring for extra credit points

Staff from the test communities indicated that it generally took about 40 hours to complete the tool and provide supporting documentation. In general, test communities found the results to be useful in assessing the strengths and weaknesses of their management programs. The test communities generally indicated that further improvement in their programs was possible, but they needed to overcome staffing, financing, coordination and technical challenges. The test communities consistently scored between the mid 70s and low 90s when extra credit points are accounted for. Several consistent areas of program weakness were reported, most notably in subwatershed-based prioritization, assessment of upland restoration potential, and management of natural area remnants.

This report releases the final benchmarking tool for general use for communities across the nation. It will be periodically updated in response to user comments and feedback.

1.2 The Benefits of Implementing Smart Watershed Programs

Communities may realize several benefits if they pursue a Smart Watershed approach. The primary benefit is that it creates a unified framework to address many different programs, regulatory mandates and permit requirements that confront municipalities. These regulatory drivers are often complex, costly and confusing to implement. Some of the major regulatory and funding drivers are profiled in Table 3. Most urban communities are subject to many different regulatory drivers, and as can be seen, multiple smart watershed programs are needed to comply with them. In addition, many communities are also driven by regional watershed planning initiatives that promote implementation of urban watershed restoration practices. The value of the Smart Watershed approach is that it presents a single unified approach to watershed restoration that can simultaneously address many different regulatory and funding drivers.

Some additional community benefits of the Smart Watershed approach are that it:

- Directly links Smart Growth initiatives to urban watershed restoration practices
- Provides a legitimate basis to grant flexibility and incentives for individual redevelopment and infill sites, in the form of relaxed or modified stormwater requirements if overall subwatershed goals can be achieved
- Maintains or enhances water quality and habitat conditions within urban watersheds, and provides a yardstick to measure future improvements

TABLE 3: REGULATORY AND FUNDING DRIVERS FOR SMART WATERSHED PROGRAMS

Regulatory Driver	Key Objective	Smart Watershed Programs
CERCLA (EPA, States) Brownfields)	Clean up polluted brownfield sites and promote redevelopment	Programs 4, 5, 10, 13, 14
CSO/SSO Policy (EPA)	Eliminate wastewater discharges to streams	Programs 1, 2, 3, 6, 8, 9, 12
National Flood Insurance Program (FEMA)	Protect floodways and riparian areas	Programs 1, 2, 6, 7, 9, 11
MS4 NPDES Phase I & II (EPA, States)	Reduce pollution from stormwater runoff	Programs 1, 2, 3, 6, 7, 8, 9, 10, 11, 12, 13, 14
Safe Drinking Water Act (EPA, States)	Source water assessments and protection efforts	Programs 1, 3, 4, 6, 8, 13, 14
TMDL (EPA, States)	Establish specific limits on pollutant loads to protect designated uses	Programs 1, 3, 4, 6, 8, 9, 13
Wetlands Regulations (U.S. Army Corps of Engineers)	Protect existing wetlands from disturbance and mitigate impacts	Programs 1, 2, 5, 7, 9, 11
Watershed Planning Guidance (EPA)	Eligibility for funding for restoration implementation	Programs 1, 2, 3, 4, 11, 12

- Enables communities to target, experiment and demonstrate restoration practices at the subwatershed level rather than across an entire jurisdiction
- Presents an opportunity to streamline many individual government functions into a single restoration strategy and reduces duplicative efforts
- Creates a “safe harbor” to document solid program implementation performance that may assist in complying with many state and federal regulatory drivers
- *Assessment of Specific Watershed Restoration Plans* - A community or watershed group may use the tool to evaluate an existing watershed restoration plan to determine how well local programs and resources are focused in the watershed. The scoring can identify gaps in implementation, suggest new local partners to involve in the plan and identify opportunities to coordinate existing local programs to improve restoration efforts.
- *Self-Assessment of Community Restoration Programs* – A local stormwater or watershed program manager may choose to use the tool to evaluate the integration and alignment of current local programs. Scores from the self assessment can identify program strengths and weaknesses, thereby providing a basis to streamline watershed services, justify budget requests, validate ongoing efforts, and promote greater interagency coordination. The tool is a useful checkup for managers of exist-

1.3 Suggested Uses of the Benchmarking Tool

Communities can use the benchmarking tool to build or strengthen their programs in several ways:

ing programs, and also provides a yardstick to help managers build new programs where they do not exist.

- *Overall Assessment of MS4 NPDES Stormwater Permit Compliance* - In this application, the tool is used as a streamlined way to review overall compliance with existing MS4 NPDES stormwater permits. State or federal permitting agencies could use individual quantitative benchmarks or the overall community score to assess program implementation. The tool is currently calibrated for Phase I MS4 NPDES communities, but could easily be adapted for Phase II communities. The current NPDES stormwater permitting program lacks quantitative indicators of program performance, and the Smart Watershed benchmarking tool presents a comprehensive way to evaluate compliance. The tool could also provide a safe harbor, whereby communities that exceed a defined minimum score would be deemed to be in full compliance with permitting requirements.
- *Certification of Excellence in Local Watershed Restoration* - Until now, there has been no mechanism to recognize and reward local programs that go beyond the minimum to achieve bet-

ter watershed restoration. The benchmarking tool has been designed to certify excellent programs according to objective and consistent benchmarks that have been tested nationally. Ideally, an independent third party could use the tool to define:

- Minimum acceptable program elements
- Compliance with national norms for individual program achievement; and
- Overall excellence in local watershed programs.

The application is patterned after other certification tools, such as the Leadership in Environmental and Energy Efficient Design (LEED) certification program administered by the Green Building Council to set verifiable standards for green building. The level of detail and supporting documentation in the benchmarking tool enables it to meet certification objectives, if an independent third party can review and verify the scoring. If funding support materializes, the Center may take on the certification role to promote more widespread and consistent implementation of Smart Watershed programs.

CHAPTER 2

THE 14 SMART WATERSHED PROGRAMS

The chapter presents individual profile sheets that describe each of the 14 Smart Watershed programs that are organized as follows:

- Description of the Program
- Smart Watershed Objectives Fulfilled
- List of Specific Program Benchmarks
- National Average of Communities Reporting in the Program Area (based on the 2003 survey)

- Local Case Study of Effective Programs
- Tips on Effective Program Implementation
- Resources to Build or Strengthen Local Programs

Each profile sheet describes how to evaluate and strengthen the effectiveness of current programs. It is advisable to review the profile sheets to gain a better understanding of Smart Watershed before attempting to complete the benchmarking tool.

Program 1	Subwatershed Restoration Planning.....	11
Program 2	Stream and Subwatershed Field Assessment	13
Program 3	Subwatershed Monitoring and Reporting	15
Program 4	Financing Watershed Restoration	17
Program 5	Management of Natural Area Remnants.....	19
Program 6	Stormwater Retrofitting	21
Program 7	Urban Stream Repair and Restoration	23
Program 8	Illicit Discharge Detection and Elimination	25
Program 9	Maintenance, Inspection and Enforcement	27
Program 10	Smart Site Practices During Redevelopment.....	29
Program 11	Watershed Education and Personal Stewardship.....	31
Program 12	Public Involvement and Neighborhood Consultation.....	33
Program 13	Pollution Prevention at Stormwater Hotspots.....	35
Program 14	Pollution Prevention at Municipal Operations	37

PROGRAM 1 SUBWATERSHED RESTORATION PLANNING

The best method for integrating Smart Watershed programs is the small watershed plan, which analyzes the unique characteristics of each subwatershed, evaluates restoration potential, and ranks priority restoration practices for long-term implementation. Urban subwatersheds are typically defined as less than ten square miles in size and are considered the primary management unit for watershed restoration within a municipality. While technical studies are often undertaken at a larger watershed scale, subwatersheds should be the focus for the comprehensive application of restoration planning and implementation.

Smart Watershed Objectives

- Develop urban restoration plans for small watershed units that integrate stream and subwatershed assessments, and lead to implementation of stormwater retrofits, stream repairs, reforestation, discharge prevention, natural area restoration, education, and pollution prevention practices.
- Use a planning approach that screens and prioritizes the most restorable subwatersheds in the watershed.
- Ensure that any localized degradation caused by individual redevelopment and infill projects is counterbalanced by improvements in overall watershed health.

Benchmarks

1. Subwatershed-based restoration planning
2. Subwatershed planning activity
3. Clear goals driving restoration efforts
4. Comparative subwatershed analysis
5. Dedicated staffing for watershed coordination
6. Watershed management structure
7. Watershed-based GIS mapping system
8. Tracking of restoration information
9. Mechanism for plan adoption

National Average of Program Activity

Overall Score 55%

Large Communities 92%

Medium Communities 46%

Small Communities 36%

Case Study in Subwatershed Restoration Planning

Baltimore County MD Small Watershed Action Plans • Population: 758,930

Baltimore County, Maryland is developing a series of small watershed action plans (SWAPs) for 24 small urban and suburban watersheds. A SWAP is prepared using community collaboration to set protection and restoration goals for small watersheds. It outlines specific actions to be taken within each subwatershed to achieve restoration goals. The plans build on larger watershed assessments done over the past decade to characterize watershed conditions and identify restoration approaches. The planning process actively solicits public feedback to help prioritize restoration projects and programs for each subwatershed. The planning process also has links to many larger regional watershed drivers such as the 2000 Chesapeake Bay Agreement. The County is also a partner in the state's tributary strategy program that sets numerical nutrient reduction targets in order to achieve a healthier Bay. The County also intends to link the SWAPs with Total Maximum Daily Loads for impaired streams and receiving waters, and incorporate key recommendations into their MS4 NPDES stormwater permit. The SWAP process started in the winter of 2005, and several action plans are scheduled for completion in 2006.

PROGRAM 1 SUBWATERSHED RESTORATION PLANNING

Building a Better Subwatershed Restoration Planning Program

Tips for Getting Started

Start out by conducting a Needs and Capabilities Assessment (NCA, Schueler and Kitchell, 2005). This simple checklist helps planners define key community concerns and regulatory drivers that shape watershed restoration goals. The NCA also evaluates local restoration capacity and can help the core team find out what restoration activities are being done and by whom.

- Communities may want to consult the chapters on Getting Started and Scoping and Budgeting in *Urban Subwatershed Restoration Manual No. 2* (Schueler and Kitchell, 2005).
- The core team should provide early opportunities to allow stakeholders to give input on restoration goals and determine how they want to be involved in the planning process.
- Think strategically on how local restoration programs can be linked to regional water quality management efforts and regulatory compliance.
- Define the approach for managing stakeholder involvement early in the planning process that is consistent with community preferences and resources.
- Be cautious about expending a lot of money on watershed modeling and monitoring unless more information is needed to characterize watershed conditions.
- Promote watershed planning as a way to connect residents to their neighborhood streams and protect key aquatic resources people care about.

Tips for Fine-Tuning Existing Programs

- Study program scores from the benchmarking tool to identify weak restoration program areas that could be strengthened.
- Periodically revisit restoration goals to check if progress is being made in achieving them.
- Recognize restoration partners through annual recognition programs and watershed forums.
- Avoid watershed studies that are not focused on project implementation and evaluation.
- Track implementation efforts annually and evaluate the effectiveness of restoration projects.
- Commit to adopting an annual restoration workplan that translates planning outcomes into actual project implementation.

Resources for Subwatershed Restoration Planning

Bowie, MD Watershed Restoration Action Strategies <http://www.cityofbowie.org/green/partners/wras.htm>

EPA Section 319 Success Stories – state by state project highlights from the Section 319 Program <http://www.epa.gov/owow/nps/Section319/index.htm>

Fairfax County, VA, Watershed Planning Project <http://www.fairfaxcounty-watersheds.net/>

Miami River Commission <http://miamirivercommission.org/river.htm>

Urban Subwatershed Restoration Manual 1: An Integrated Framework to Restore Small Urban Watersheds (Schueler, 2004)

Urban Subwatershed Restoration Manual 2: Methods to Develop Restoration Plans for Small Watersheds (Schueler and Kitchell, 2005)

PROGRAM 2 STREAM AND SUBWATERSHED FIELD ASSESSMENT

Rapid assessments of the stream corridor and upland areas are an important ingredient for successful watershed restoration. Rapid assessments provide the restoration team with critical information on current impacts and potential restoration opportunities within the entire subwatershed. Stream corridor assessments also provide opportunities to engage watershed organizations and volunteers in the subwatershed restoration process.

Smart Watershed Objectives

- Conduct rapid stream corridor assessments on a subwatershed basis with the goal of covering all stream channel miles within a fixed time-period.
- Utilize assessment data to identify and prioritize degraded stream reaches that merit immediate attention.
- Identify any remaining high-quality streams in need of special protection.
- Incorporate assessment data as a primary source of information to develop a comprehensive subwatershed restoration plan.

Benchmarks

10. Rapid stream corridor assessments
11. Field evaluation of restoration potential in the stream corridor
12. Field evaluations of upland restoration potential

National Average of Program Activity

Overall Score 49%

Large Communities 69%

Medium Communities 38%

Small Communities 50%

Case Study in Stream and Subwatershed Field Assessment



Paxton Creek Stream and Subwatershed Assessments

Paxton Creek is a tributary to the Susquehanna River in the vicinity of Harrisburg, Pennsylvania. Over 63 miles of stream flow through forest, residential, commercial and industrial land uses. According to the State 303(d) list, the watershed contains 16.5 miles of streams impaired by urban runoff, construction and storm sewers. Stream and subwatershed assessments were conducted in a 7.4 square mile subwatershed of Paxton Creek using the Unified Stream Assessment (USA) and the Unified Subwatershed and Site Reconnaissance (USSR). The USA

is a comprehensive stream walk protocol that evaluates stream, riparian and floodplain conditions in the urban stream corridor (Kitchell and Schueler, 2004). The USSR is a field survey to evaluate potential subwatershed pollution sources and restoration opportunities outside of the stream corridor (Wright, et al, 2004). The core team included the Paxton Creek Watershed and Education Association, the Canaan Valley Institute, and the Center. The rapid surveys helped the team identify and prioritize hundreds of potential source control, retrofit, reforestation, stream repair and discharge prevention practices. The intensive surveys, which were performed in a week, also found other problems such as sewer overflows, trash dumping and damaged outfalls throughout the subwatershed. The field survey results created a strong technical foundation to develop a detailed and action-oriented restoration plan for the Paxton Creek subwatershed.

PROGRAM 2 STREAM AND SUBWATERSHED FIELD ASSESSMENT

Building a Better Stream and Subwatershed Field Assessment Program

Tips for Getting Started

- Use rapid assessment methods such as the Unified Stream Assessment (USA) and the Unified Subwatershed and Site Reconnaissance (USSR) to acquire information on watershed restoration opportunities in a test subwatershed.
- Remember to train municipal staff and volunteers on the assessment methods before going out in the field.
- Mapping and other simple desktop analysis conducted in the office can save a lot of time in the field.
- Make sure to incorporate digital photos of key impacts and problems in your watershed education materials.
- Combine stream corridor and upland assessments together within the same subwatershed.
- Check with local colleges and state agencies to see if they have any historic maps or monitoring data to compare with current field data.

Tips for Fine-Tuning Existing Programs

- Involve local enforcement staff in stream and subwatershed field work to take advantage of their knowledge of field conditions and rapid enforcement capability. Local inspectors may also know of chronic problem areas.
- Carefully consider how data from field assessments will be managed and checked for quality control, and who will perform this important function.
- Field assessments can generate hundreds of field forms so make sure to compile them into a well-organized database linked to the watershed-based GIS.
- Consider involving trained volunteers or watershed groups in field assessments to expand manpower and create a unique education experience.

Resources for Stream and Subwatershed Field Assessment

Urban Subwatershed Restoration Manual 10: The Unified Stream Assessment (USA): A Users Manual (Kitchell and Schueler, 2004)

Urban Subwatershed Restoration Manual 11: The Unified Subwatershed and Site Reconnaissance (USSR): A Users Manual. (Wright, et al., 2004).

Urban Subwatershed Restoration Manual 2: Methods to Develop Restoration Plans for Small Watersheds (Schueler and Kitchell, 2005)

PROGRAM 3 SUBWATERSHED MONITORING AND REPORTING

Subwatershed monitoring is important to determine major water quality, habitat and biological impacts, and to track progress made over time in improving stream conditions. Monitoring data is used to support many key decisions throughout the restoration planning process, and must be organized and clearly communicated to the appropriate audience.

Smart Watershed Objectives

Develop a comprehensive approach to monitoring that can help the team understand subwatershed baseline conditions, track restoration progress and prioritize water quality problems.

Benchmarks

- | | |
|--|---|
| 13. Subwatershed monitoring program | 15. Public notification of water quality problems |
| 14. Aquatic indicators linked to watershed goals | 16. Data management and reporting |

National Average of Program Activity

Overall Score 57%	Large Communities 92%
	Medium Communities 46%
	Small Communities 43%

Case Study in Subwatershed Monitoring and Reporting

Austin, Texas Environmental Integrity Index

The City of Austin monitors their local creeks to track trends in ecological integrity and water quality impairment. The Watershed Protection Department developed an Environmental Integrity Index (EII) to track long-term trends in aquatic indicators. The index consists of six groups of water quality indicators that relate to the designated water uses of Austin creeks. The six designated uses include: contact recreation (swimming and wading), non-contact recreation, water quality, sediment quality, stability of stream channels, and aquatic life support. A subwatershed integrity index score is then calculated after a range of chemical, physical, and biological aquatic indicators are measured. The city felt that the index was needed because prior studies had shown that water quality data alone did not adequately describe the health of water resources. The index is used to rank the severity of problems based on the difference between a stream's water quality goal and its current measured condition. In order to track long-term trends, the city also maintains sentinel monitoring stations in Barton and Edwards Springs, and conducts runoff sampling for 18 stormwater pollutants in East Austin's Town Creek. Findings from the monitoring program are quickly posted on the city website: (http://www.ci.austin.tx.us/watershed/learn_ws.htm). The website also provides maps of watersheds and monitoring sites, land use information, index scores, photographs, and other watershed facts. Press releases regarding spills are posted on another website (<http://www.ci.austin.tx.us/water/>). The city devotes more than a million dollars annually to support the subwatershed monitoring program. For example, 20 creek and lake monitoring stations were sampled in 2004, along with 12 intensive water quality studies.

PROGRAM 3 SUBWATERSHED MONITORING AND REPORTING

Building a Better Stream and Subwatershed Monitoring and Reporting Program

Tips for Building a Program

- Build your monitoring program around existing or historic monitoring stations to maximize coverage.
- Select a few good water quality indicators that are easy to measure. Guidance on choosing reliable but inexpensive indicators can be found in *Urban Subwatershed Restoration Manual No. 2* (Schueler and Kitchell, 2005).
- Look for opportunities to involve citizens and watershed groups in subwatershed monitoring efforts to enhance public involvement and education.
- Link your subwatershed monitoring efforts to the local NPDES MS4 stormwater permit to help comply with minimum management measures for citizen involvement and stormwater education.
- Invite sediment control inspectors and other local staff on a stream monitoring trip to expose them to the aquatic resources they work to protect daily.

Tips for Fine-Tuning Existing Programs

- Check the existing aquatic indicators that are monitored to make sure they are directly linked to watershed goals and can be used to measure progress toward them.
- Investigate ways to disseminate condensed summaries of monitoring data to stakeholders and the general public.
- Consider expanding the monitoring program to measure the long-term effectiveness of installed restoration projects to identify factors that lead to future project success or failure.
- Train local watershed groups and volunteers on monitoring protocols to expand municipal data gathering capabilities.
- Consider out-sourcing monitoring work to watershed groups to help them become more sustainable.

Resources for Subwatershed Monitoring and Reporting

Montgomery County, MD County-wide Stream Protection Strategy <http://www.montgomerycountymd.gov/deptmpl.asp?url=/content/dep/csps/index.asp>

Burlington Vermont Beach monitoring <http://www.uvm.edu/%7Eempact/water/data.php3>

Urban Subwatershed Restoration Manual 2: Methods to Develop Restoration Plans for Small Watersheds (Schueler and Kitchell, 2005)

Stormwater Effects Handbook: A Toolbox for Watershed Managers, Scientists and Engineers (Burton and Pitt, 2001)

PROGRAM 4 FINANCING WATERSHED RESTORATION

Smart Watershed programs require significant financial resources from a diverse array of local, state, federal and private sources. Communities need to evaluate how they currently finance overall watershed restoration efforts, and look for alternative revenue streams to ensure that future programs are adequately funded.

Smart Watershed Objectives

- Utilize a diverse blend of funding to support watershed restoration, including capital and operating budgets, stormwater utilities, stormwater fee-in-lieu projects, state and federal grants and revolving loans, and watershed partnership projects.
- Ensure that staff and resources are adequate to meet overall Smart Watershed program implementation goals.

Benchmarks

- | | |
|---|--|
| 17. Total watershed program expenditures | 19. Local funding for Smart Watershed programs |
| 18. Long-term funding for plan implementation | |

National Average of Program Activity

Overall Score 63%	Large Communities 85%
	Medium Communities 58%
	Small Communities 50%

Case Study in Financing Watershed Restoration

Montgomery County, MD Watershed Management Program Budget

Montgomery County's watershed management budget provides an example of how to leverage multiple funding sources and educate local elected officials to garner greater program support. The mission outlined in the budget is to protect citizens and improve the quality of the environment by monitoring and restoring county streams and waterways. Specific line-items in the budget include watershed restoration planning, restoration project design and construction, and ongoing stream monitoring. Funds also support urban forestry, illicit discharge control, public outreach, citizen stewardship, and maintenance of stormwater practices. The capital budget for stormwater retrofit and stream restoration projects is leveraged to match state and federal grant funds. The main revenue that supports the local budget is a stormwater utility fee attached to residential property taxes. The annual budget is unique in that it contains specific performance measures related to many Smart Watershed program areas that are reported to the elected officials in a condensed graphic format. Examples of performance measures include the following:

- Percent of subwatersheds monitored in fiscal year with an improved (or declining) rating
- Miles of priority streams needing restoration
- Miles of restored stream showing improved stream condition
- Acres of stormwater practices added to developed areas
- Developed acres subject to uncontrolled runoff
- Percent of watersheds meeting urban/suburban tree canopy cover goals
- Number of environmental complaints received
- Percent of watersheds with monitoring data accessible via the internet

The County estimates that full stream restoration within priority subwatersheds will require about 19 years at current funding and implementation rates. The most recent budget document can be viewed at <http://www.montgomerycountymd.gov/content/omb/fy05/psprec/65-1.pdf>

PROGRAM 4 FINANCING WATERSHED RESTORATION

Building a Better Watershed Restoration Financing Program

Tips for Building a Program

- Take time to project total financial resources needed to support effective restoration programs.
- Make sure to link restoration expenditures to measurable environmental outputs and benefits. Federal and state agencies, elected officials and the general public increasingly want to know the tangible benefits they will get from the restoration dollars they invest.
- Develop local partnerships to leverage funding in the form of cash or in-kind services.
- Become familiar with the different types of match that can be leveraged to attract state and federal funding grants and/or revolving funds.
- Understand the timing of the local budget cycle and learn exactly where and when each Smart Watershed program fits into the process.
- Create line items for both operating and capital budgets.
- Assign a project code for capital projects in each individual watershed to track progress toward implementation.
- Identify several early action projects that can demonstrate project or program success.

Tips for Fine-Tuning Existing Programs

- Focus on developing local revenue streams such as a stormwater utility that can be a stable and reliable funding source.
- Train municipal staff in grant-writing and management skills - many funders, colleges and professional organizations offer free or low-cost training.
- Seed the development of a local nonprofit watershed organization that can function as a strong partner and obtain funding on their own to augment municipal efforts.
- Develop specific performance measures to track the impact of local restoration spending that can help educate elected officials about restoration during the annual budget process.
- Remember the golden rule – each dollar of local revenue can be leveraged into ten dollars of bonds to finance capital projects.

Resources for Financing Watershed Restoration

<http://www.stormwatercenter.net/> (Under Program Resources)

Environmental Finance Center web sites:

Great Lakes <http://urban.csuohio.edu/glefc/index.htm>

New England <http://efc.muskie.usm.maine.edu/>

New Mexico <http://efc.unm.edu/>

New York Region 2 <http://www.maxwell.syr.edu/efc/>

Southeast Regional <http://cepm.louisville.edu/organization/SEEFc/seefc.htm>

Maryland <http://www.efc.umd.edu/>

U.S. EPA Environmental Finance Center <http://www.epa.gov/efinpage/>

U.S. EPA Office of Water Funding/Grants <http://www.epa.gov/water/funding.html>

Plan2Fund: Watershed Planning and Budgeting Tool http://sspa.boisestate.edu/efc/Tools_Services/Plan2Fund/plan2fund.htm

PROGRAM 5 MANAGEMENT OF NATURAL AREA REMNANTS

Remaining natural areas in an urban subwatershed are important pockets that provide habitat, green space and some stormwater treatment. At the same time, they are often fragmented, compacted, and stressed by stormwater runoff, poor soils, invasive plant species, and human disturbance. Municipalities often own or manage natural areas and many of these parcels are prime candidates for reforestation, wetland restoration and land reclamation. This program seeks to expand watershed benefits by systematically restoring and increasing natural areas at the subwatershed level. This program may also involve working with the community to convert vacant land to beneficial uses, such as community gardens.

Smart Watershed Objectives

- Comprehensively manage the remaining natural areas in a subwatershed, including urban forests, wetlands, stream corridors, open space and vacant lands.
- Directly link urban forestry to subwatershed restoration plans, with the goal of increasing healthy forest cover or canopy.
- Focus on creating urban forests on municipal lands such as public rights of way, vacant lands, parks, schools, riparian areas, transportation corridors and other areas of the urban landscape.
- Actively manage and restore priority natural area remnant areas.

Benchmarks

20. Inventory of natural area remnants 22. Dedicated funding for natural area restoration/reforestation
21. Natural area planning and management 23. Subwatershed restoration/reforestation activity

National Average of Program Activity

Overall Score 56%

Large Communities 77%

Medium Communities 49%

Small Communities 43%

Case Study in Management of Natural Area Remnants

Portland, Oregon Watershed Revegetation Program • Population: 538,180 • Budget \$1,100,000

The City of Portland, Oregon is working to restore native vegetation through their Watershed Revegetation Program. The program is a voluntary partnership between the city and private landowners to restore degraded habitats through upland and riparian plantings, streambank repair, and wetland construction. Landowners pay 50 to 100% of project costs while the city provides native plants, contract labor, materials, and technical assistance. The restoration projects are designed to improve water quality, control erosion and reduce stormwater pollution –with the ultimate goal of recovering salmon populations. The program is funded by grants, the state revolving loan fund, sewer system charges and landowner cost share. Since 1996, 1,867 acres of native vegetation have been planted and an additional 2,217 acres are actively managed to control invasive plants. The program seeks to begin re-vegetation on 100 new acres each year which adds to the total management portfolio. Projects typically take 5 to 10 years to complete — from initial design, installation, invasive weed control, maintenance and site monitoring. Program details can be viewed at <http://www.portlandonline.com/bes/index.cfm?c=dffci>

PROGRAM 5 MANAGEMENT OF NATURAL AREA REMNANTS

Building Better Management of Natural Area Remnants

Tips for Getting Started

- Consolidate management efforts by multiple agencies and landowners into a single watershed plan to protect or restore all remaining natural area remnants.
- Utilize property maps or a watershed GIS to find out who owns or manages natural area remnants, including large institutional and commercial sites.
- Look at maps and aerial photos to explore opportunities to link fragmented natural areas in a subwatershed by creating hubs and corridors.
- Target municipal lands for innovative demonstration projects involving native landscaping and reforestation.
- Provide public access and interpretative signs to natural area remnants, when feasible.
- Work up-front with public safety officials to develop design approaches that address concerns about vandalism, vagrancy, and community policing issues.
- Think about cost sharing long-term management of natural areas to encourage greater participation by private landowners.

Tips for Fine-Tuning Existing Programs

- Keep existing inventories of forest, wetland and natural cover up to date, as they tend to change rapidly in urban watersheds.
- Establish numerical targets to guide the management of natural area remnants, such as:
 - Acres of public open space by type
 - Acres and ownership of vacant lands
 - Percent of open space that is permeable
 - Percent forest canopy coverage by subwatershed
 - Tree planting targets by subwatershed
 - Percent of turf or open space that can be reforested or re-vegetated with regionally appropriate plants
- Establish partnerships with businesses and large institutional land owners to manage their natural area remnants. A good example is the Wildlife Habitat Certification program. This program, managed by the Wildlife Habitat Council, recognizes commendable habitat management and environmental education programs at individual sites. Certification by an independent third-party ensures an objective evaluation of habitat restoration projects.

Resources for Management of Natural Area Remnants

Denver Urban Gardens <http://dug.org/gardens.html>

Wildlife Habitat Council http://www.wildlifehc.org/registry_certifiedsites/index.cfm

Revitalizing Baltimore – Parks and People Foundation <http://www.parksandpeople.org/programs.html>

Philadelphia Green Program <http://www.pennsylvaniahorticulturalsociety.org/phlgreen/>

Forever Wild: Nature in New York City http://nycgovparks.org/sub_about/parks_divisions/nrg/forever_wild/foreverwild_home.html

Center for Urban Restoration Ecology <http://www.i-cure.org/>

Seattle P-Patch Community Gardens <http://www.seattle.gov/neighborhoods/ppatch/>

Urban Watershed Forestry Manual Part 1: Methods for Increasing Forest Cover in a Watershed (Cappiella et al., 2005a). <http://www.cwp.org>

Urban Watershed Forestry Manual Part 2: Conserving and Planting Trees at Development Sites. (Cappiella et al 2005b) <http://www.cwp.org>

Urban Watershed Forestry Manual Part 3: Urban Tree Planting Guide. (Cappiella et al 2006) <http://www.cwp.org>

PROGRAM 6 STORMWATER RETROFITTING

Retrofits are installed in urban watersheds to treat and manage runoff from areas that were developed prior to any stormwater management requirements, or with older technologies that can be improved upon to achieve better treatment. Ponds, wetlands and bioretention are re-engineered back into the urban landscape to help remove pollutants and protect stream channels, and are often located on public lands.

Smart Watershed Objectives

- Systematically evaluate the potential for stormwater retrofit opportunities within all subwatersheds.
- Utilize the inventory data to screen, design and construct priority stormwater retrofit projects to meet subwatershed goals.

Benchmarks

- 24. Subwatershed retrofit inventory
- 25. Level of stormwater retrofit implementation
- 26. Demonstration of innovative technology

National Average of Program Activity

Overall Score 53%	Large Communities 69%
	Medium Communities 42%
	Small Communities 57%

Case Study in Stormwater Retrofitting



Seattle Natural Drainage System Program • Population 572,600 • Budget: \$4,000,000

The City of Seattle has implemented a retrofit program that utilizes alternatives to traditional street drainage design to help address impacts from urban runoff. The program works to redesign residential street right-of-ways to incorporate vegetated swales, stormwater cascades, and small wetland ponds to mimic predevelopment hydrology. The objective of street retrofits is to infiltrate stormwater, decrease impervious cover, filter pollutants, promote porous paving, increase vegetation, and improve pedestrian amenities. The watershed goals are to maintain natural stream hydrology, reduce habitat degradation, provide channel protection, and reduce pollutant loads to local creeks. The program is funded by a drainage fee paid by Seattle property owners based on impervious surface coverage. In order to fund a project, the city must show that street retrofits are more cost-effective than traditional street design with curb and gutter. Project

sites are selected based on a set of criteria including proximity to creeks needing restoration, the slope, length, and existing infrastructure of the street and community interest. A staff of seven in the stormwater planning group initially assesses the feasibility of potential street retrofit projects, with actual implementation handled by many different agencies. The city has many street retrofit projects in the pipeline, with a typical project timeline of about three years from design to completion. The city estimates that capital costs and life-cycle maintenance costs for street retrofits are less expensive than traditional drainage systems. Street retrofits are engineered to treat runoff for storms up to the two-year design storm that make up the majority of rainfall events in Seattle. Monitoring has confirmed that street retrofits improve both the quality and quantity of stormwater runoff, which has prompted the city to utilize street retrofits as its primary stormwater management approach in all areas that drain directly to creeks. Designers are currently working on expanding street retrofits in four parts of the city, including an ultra-urban redevelopment area. http://www.seattle.gov/util/About_SPU/Drainage_&_Sewer_System/Natural_Drainage_Systems/Natural_Drainage_Overview/index.asp

PROGRAM 6 STORMWATER RETROFITTING

Building a Better Stormwater Retrofitting Program

Tips for Getting Started

- Systematically focus retrofitting efforts in a few priority subwatersheds to maximize the degree of stormwater treatment.
- Precisely define the stormwater treatment objectives that retrofits will accomplish in restoring a particular subwatershed (e.g., pollutant removal, channel protection, recharge, etc.).
- Combine retrofits with stream repairs and other restoration practices to maximize stream benefits.
- Start with an accurate base-map of existing stormwater management practices to identify older structures with good retrofit potential (e.g., older dry ponds that may have chronic maintenance problems).
- Train staff in rapid field methods such as the Retrofit Reconnaissance Inventory to quickly identify potential retrofit locations in a single subwatershed.
- Demonstrate diversity of innovative retrofit projects on municipal parks and schools, particularly if retrofits are new to the community.
- Public works maintenance yards are excellent retrofit locations that can address multiple NPDES MS4 stormwater permit requirements.
- Consult with local planning staff to verify that vacant parcels don't have development plans in the pipeline that will render them infeasible.

Tips for Fine-Tuning Existing Programs

- Devote more effort to landscaping and community amenities during the design phase to improve public acceptance of stormwater retrofits.
- Re-examine old retrofit inventories in light of new approaches and technologies. Retrofit sites that were discarded in the past may be suitable for new or emerging stormwater practices.
- Consider combining stormwater maintenance and retrofit programs into a single program to maximize efficiency.
- Local willingness to assume maintenance for older practices makes retrofitting much more attractive to private landowners.
- Be creative in working around existing utilities; in some cases, existing sewer lines and other utilities can be worked around or relocated.

Resources for Stormwater Retrofitting

Anacostia Watershed Network (Restoration and Retrofitting) <http://www.anacostia.net/progress.htm>

"The Art of Opportunity" Slideshow at Stormwater Manager's Resource Center web site <http://www.stormwatercenter.net/Slideshows/retrofits.htm>

"Article 143: Stormwater Retrofits: Tools for Watershed Enhancement," *Practice of Watershed Protection* (Schueler and Holland, 2000)

Proceedings from National Conference on Retrofit Opportunities for Water Resource Protection in Urban Environments by the U.S. EPA Office of Research and Development <http://www.epa.gov/ORD/NRMRL/pubs/625r99002/625r99002.htm>

"Stormwater Retrofitting primer" at the Wisconsin Department of Natural Resources web site <http://www.dnr.state.wi.us/permitprimer/stormwater/retro.html>

PROGRAM 7 URBAN STREAM REPAIR AND RESTORATION

Stream repair practices enhance the appearance, structure and function of the urban stream network to address a series of subwatershed restoration objectives. Stream repair includes activities undertaken to address damage to stream channels stemming from uncontrolled runoff and other stream channel alterations caused by past development. Communities may choose more than one stream repair objective to guide their subwatershed restoration efforts as long as they are realistic and achievable. In most cases, the ability to achieve stream repair objectives is fundamentally constrained by subwatershed impervious cover and limited stormwater retrofit potential.

Smart Watershed Objectives

- Comprehensively analyze stream conditions to identify the best stream repair practices to address restoration objectives within a given subwatershed.
- Utilize the data to screen, design and construct innovative stream repair projects to meet subwatershed goals.

Benchmarks

- | | |
|---|---|
| 27. Systematic subwatershed approach | 29. Sophistication of stream repair practices |
| 28. Level of stream repair implementation | 30. Post-construction project evaluation/monitoring |

National Average of Program Activity

Overall Score 51%

Large Communities 77%

Medium Communities 42%

Small Communities 43%

Case Study in Urban Stream Repair and Restoration

King County Small Habitat Restoration Program • Population: 1,761,411 • Budget: \$426,000

King County (Washington State) developed a Small Habitat Restoration Program to build low-cost projects to restore streams and wetlands in urban and rural watersheds. Projects are selected based on the restoration benefits provided and the cost-effectiveness of installation. Typical projects include streamside and wetland planting, livestock fencing, in-stream habitat improvements, removal of fish barriers and control of invasive plants. The program also provides technical assistance to property owners and other agencies interested in pursuing their own habitat restoration projects. The annual budget for the habitat program is less than a half million dollars and covers 2,134 square miles of unincorporated King County. The program is funded by a county surface water management fee, which is a property tax formula based on the areas of impervious cover. Administration accounts for about 10% of the program budget, and the project cost ratio is 60:40 for labor and construction. As of 2005, 71 habitat restoration projects were in some phase of scoping, design, permitting, construction or management. Individual projects take three to five years to complete, depending on the complexity of permitting and post-installation monitoring. Funds are also allocated for technical assistance which covers up to two days of assistance from program staff for private property owners. The staff generally advises on ways to address property management issues such as streambank erosion, invasive plant control, and wetland restoration. <http://dnr.metrokc.gov/wlr/cposa/shrp/index.htm>

PROGRAM 7 URBAN STREAM REPAIR AND RESTORATION

Building a Better Urban Stream Repair and Restoration Program

Tips for Getting Started

- Streamwalks are an excellent means to gain momentum for stream restoration and educate residents on the relationship between stream conditions and aquatic life.
- Choose realistic and achievable restoration objectives for each urban stream segment, given that each segment is influenced differently by upstream and downstream factors. For a good systematic approach for assessing subwatershed stream repair potential, consult *Urban Subwatershed Restoration Manual No. 4*.
- Although most communities have traditionally engaged in stream repair to protect threatened infrastructure and property, consider expanding objectives to include fishery habitat and channel stability.
- Develop a process for evaluating and ranking local stream repair projects based on watershed benefits – otherwise projects will be prioritized to respond to the loudest complaints – not necessarily the most important problems.

Tips for Fine-Tuning Existing Programs

- Invite local volunteer groups to assist in post-construction monitoring of restoration projects, and to keep sites free of invasive plants.
- Stream repair projects should be treated like any other infrastructure investment – they require inspection and maintenance over time to remain viable.
- Package stream repair projects in the context of subwatershed plans to be eligible for additional state and federal assistance.

Resources for Urban Stream Repair and Restoration

Montgomery County, MD - Sligo Creek Watershed Restoration <http://www.montgomerycountymd.gov/deptmpl.asp?url=/content/dep/csps/watersheds/csps/html/sligo.asp>

Montgomery County Anacostia Restoration Program http://www.montgomerycountymd.gov/content/dep/Publications/pdf/anacostia_restoration.pdf

Griffin, GA - Streambank Restoration Program http://www.forester.net/sw_0107_griffin.html (as covered in *Stormwater Magazine*)

Berkeley, CA - Cordornices Creek Stream Daylighting http://www.coastalconservancy.ca.gov/scbb/0503bb/0503Board08_Cordornices_Creek.pdf

Seattle Urban Creeks Legacy Project http://www.ci.seattle.wa.us/util/About_SPU/Drainage_&_Sewer_System/Projects/Creek_Restoration/index.asp

Urban Subwatershed Restoration Manual 4: Urban Stream Repair Practices (Schueler and Brown, 2004)

Urban Subwatershed Restoration Manual 10: The Unified Stream Assessment (USA): A Users Manual. (Kitchell and Schueler, 2004)

Stream Corridor Restoration: Principles, Processes, and Practices. Federal Interagency Stream Restoration Working Group at http://www.nrcs.usda.gov/technical/stream_restoration/

PROGRAM 8 ILLICIT DISCHARGE DETECTION AND ELIMINATION

The storm and sanitary sewer networks in many older watersheds can be a major source of pollutants through combined sewer overflows, sanitary sewer overflows, and illicit pollutant discharges. This Smart Watershed program concerns itself with targeted efforts to find, fix and eliminate discharges of sewage and other pollutants in portions of the watershed with the most severe problems.

Smart Watershed Objectives

- Implement an ongoing program to detect and eliminate any discharges of untreated wastewater and non-stormwater flows into the watershed, including sanitary sewer overflows (SSOs), combined sewer overflows, and illicit discharges.

Benchmarks

- | | |
|---|--|
| 31. Possess discharge control authority | 34. Pollution hotline and response |
| 32. Discharge mapping and screening | 35. Activity in eliminating discharges |
| 33. Outfall reconnaissance inventory | |

National Average of Program Activity

Overall Score 63%	Large Communities 62%
	Medium Communities 58%
	Small Communities 71%

Case Study in Illicit Discharge Detection and Elimination

Fort Worth, Texas Dry Weather Monitoring • Population: 534,694

Fort Worth has been recognized nationally for its efforts to detect and eliminate illicit discharges to its municipal storm drain system. More than 150 dry weather field screens are performed across the city each year to help detect potential illicit discharges or improper connections using various tests. One innovative test uses luminescent bacteria as an indicator of potential toxicity at larger stormwater outfalls. The city actively performs detective work to locate and eliminate the sources of dry weather flows, and sponsors programs to prevent illicit discharges from occurring in the first place. Examples include pollutant fingerprinting, pollutant trace-backs, industrial inspections and public education. For example, the city installs more than 250 storm drain markers each year, with the location selected based on traffic volume, past dumping history, illicit discharge reports and citizen complaints. City staff routinely inspects industrial facilities considered to have a high illicit discharge potential, such as hazardous waste treatment, disposal or recovery facilities. The city also operates a permit program for mobile commercial power-washing vendors designed to limit detergents and other pollutants discharged into the storm drain system. Fort Worth also maintains a telephone hotline for reporting environmental complaints, such as illegal dumping and illicit discharges. Residents can also use an on-line complaint form to report spills or intentional violations. The city maintains a spill response team to handle spills less than 500 gallons. The team is on-call 24 hours a day, 7 days a week ready to contain and clean up chemical spills from car, truck, and train wrecks, industrial accidents, and other discharges that could impact the storm drain system. <http://www.fortworthgov.org/DEM/aboutWQ.htm>

PROGRAM 8 ILLICIT DISCHARGE DETECTION AND ELIMINATION

Building a Better Illicit Discharge Detection and Elimination Program

Tips for Getting Started

- Most communities initially have a poor understanding of the scope and nature of their illicit discharge problem. Therefore, an adaptive approach to manage illicit discharges as outlined in Brown *et al* (2004) may be warranted.
- Once more is known about the extent of local illicit discharge problems, a community can shift resources to the most cost-effective screening, prevention and enforcement tools to solve the problem.
- The extent of local illicit discharge problems is best understood by performing rapid field assessments, reviewing past complaint files, and interviewing key inspection and utility maintenance staff.
- Continuous education is important since preventing pollution at its source is the most cost-effective method to control illicit discharges. Consider including illicit discharges as part of the overall stormwater education program in the community.
- Combine stormwater outfall screening with other rapid stream corridor assessments so streams only need be surveyed once -- and consider out-sourcing both functions to a local watershed group.

Tips for Fine-Tuning Existing Programs

- Look for patterns in outfall screening data to identify problem subwatersheds where limited resources can be effectively targeted.
- Many communities find citizen hotlines are a very cost-effective tool to detect transitory illicit discharge events.
- Work cooperatively with permit writers to ensure that IDDE program requirements are customized to deal with actual illicit discharge problems found in the community.
- Up-front desktop and field screening can characterize the severity of illicit discharge problems in different subwatersheds so that the most severe problems are addressed in each MS4 NPDES permit cycle.
- Mobile sources of illicit discharges such as industrial cleaning companies, septic pumpers, and recreational vehicles are often overlooked in many communities. Work with each sector to develop effective educational programs.

Resources for IDDE Programs

Cary, NC – Stormwater Inventory <http://www.townofcary.org/depts/dsdept/engineering/engproj/stormwaterinventoryoverview.htm>

Rouge River, MI – Illicit Discharge Detection and Elimination <http://www.rougeriver.com/proddata/catalog.cfm?category=illicit>

Washington, D.C. - Combined Sewer Overflow Abatement in Anacostia and Potomac Rivers, and Rock Creek http://www.dcwasa.com/education/css/combined_sewer.cfm

Greenwood, SC - Sanitary Sewer Overflow Control <http://www.epa.gov/npdes/sso/greenwood/index.htm>

Illicit Discharge Detection and Elimination: A guidance manual for program development and technical assessments. (Brown *et al.*, 2004) <http://www.cwp.org>

PROGRAM 9 MAINTENANCE, INSPECTION AND ENFORCEMENT

Communities need effective local programs to inspect and maintain existing stormwater and restoration practices. Stormwater facilities can lose their effectiveness over time without ongoing efforts to ensure their continuing function. In addition, communities should maintain active programs to enforce potential water quality violations from a range of activities.

Smart Watershed Objectives

- Routinely inspect existing stormwater treatment practices to determine their function and performance.
- Evaluate all completed watershed restoration practices on an ongoing basis to ensure they are working as designed.
- Utilize appropriate enforcement mechanisms to ensure adequate maintenance of practices and compliance with water quality ordinances.

Benchmarks

36. Inspect and maintain stormwater practices 38. Water quality enforcement activity
37. Inspect and maintain restoration practices

National Average of Program Activity

Not measured in Center survey

Case Study in Maintenance, Inspection and Enforcement

James City County Stormwater Inspection and Education Program • Population: 53,487

Virtually all new commercial and residential developments require the construction of stormwater practices in James City County, which is located near Williamsburg, Virginia. Stormwater practices require periodic maintenance to ensure that they function as designed and to prolong their useful life. Legal responsibility is typically assigned to landowners and homeowner associations through a declaration of covenants. In 2000, the County launched a comprehensive program to inventory the condition of all structural stormwater practices built to date. Field inspections were conducted and GPS coordinates were fixed at each stormwater practice, and then entered into a GIS database that contains digital photographs for each facility. Four years were needed to complete the County maintenance inventory, which, as of 2004, contained 521 stormwater practices. New stormwater practices are added to the inventory once as-built plans have been received and approved. The inventory helped the County identify critical maintenance needs and issues, and was used to expand the scope and budget of the local stormwater inspection and maintenance program. County staff continues to inspect stormwater practices on a three-year cycle, and has developed a list of third party maintenance vendors. Lastly, the County developed a watershed education website with information on how to maintain stormwater practices and a searchable database for stormwater practice ratings for individual neighborhoods. http://www.james-city.va.us/resources/devmgmt/environmental/div_envIRON_bmp.html



PROGRAM 9 MAINTENANCE, INSPECTION AND ENFORCEMENT

Building a Better Maintenance, Inspection and Enforcement Program

Tips for Getting Started

- Work with permit writers to ensure that performance standards for maintenance, inspection and enforcement activity are explicitly included as MS4 NPDES stormwater permit conditions.
- Create a data management system to track the condition and maintenance status of stormwater and restoration infrastructure. Routine maintenance, inspection and enforcement data should be stored on a GIS so information can be quickly accessed.
- Use new technology such as GPS, digital cameras and mobile data loggers to rapidly upload field inspection data into the tracking system.
- Review local codes to ensure that they clearly define the authority and responsibilities for all maintenance, inspection and enforcement activities.
- Create an emergency contact list and distribute to inspectors and field crews so they can quickly report water quality problems, erosion control violations and emergency stormwater maintenance needs.
- Maintain a vendor list of qualified contractors that can handle emergency clean-ups and perform stormwater maintenance tasks.

Tips for Fine-Tuning Existing Programs

- Review homeowner association covenants with the local attorney office to ensure they contain adequate language on stormwater maintenance responsibilities, including right of access, charge-backs for emergency repairs and penalties for non-compliance.
- Cross-train field personnel to recognize signs of pollution problems and to know who to report them to.
- Develop an emergency response handbook for all responders that contains practical tips on how to respond to different types of pollution events.
- Consider launching an Adopt-a Pond program to educate homeowner associations about common maintenance needs for stormwater practices.

Resources for Maintaining, Inspecting and Enforcing Watershed Practices

Bellevue, WA Private Drainage Inspection Program <http://www.cityofbellevue.org/page.asp?view=1318>

Stormwater Pond and Wetland Maintenance Tool (Brown and Hoyt, 2004) at <http://www.stormwatercenter.net>

Maui County Erosion and Sediment Control Program http://www.epa.gov/owow/nps/Section319III/innov_hi.htm

Montgomery County, MD Stormwater Facility Maintenance Program <http://www.montgomerycountymd.gov/deptmpl.asp?url=/content/dep/SFMP/home.asp>

San Ramon, CA BMP Maintenance and Operation Verification Program – annual compliance verification. http://www.ci.san-ramon.ca.us/engr/images/C.3appdix_K.pdf

PROGRAM 10 SMART SITE PRACTICES DURING REDEVELOPMENT

Smart Site practices involve eleven urban site design techniques to reduce the impacts of stormwater runoff when redeveloping existing urban areas. The purpose of Smart Site practices is to promote redevelopment as an attractive and affordable land use option while maximizing stormwater runoff controls where none were provided initially. Municipalities and their contractors are often major developers of public parking lots, roads, schools, offices, and public spaces, and can promote or require greater use of Smart Site practices during infill and redevelopment to meet restoration goals.

Smart Watershed Objectives

- Lead by example by implementing Smart Site practices on municipal construction projects such as parking lots, roads and buildings.
- Establish policies and incentives that promote Smart Site practices on private infill and redevelopment projects, and remove any barriers in existing codes and regulations.

Benchmarks

39. Conduct audit of redevelopment codes and ordinances 41. Demonstrate in municipal construction projects
40. Adopt Smart Site practices for redevelopment 42. Financial incentives for the private sector

National Average of Program Activity

Overall Score 37%

Large Communities 46%

Medium Communities 29%

Small Communities 43%

Case Study in Smart Site Practices during Redevelopment

Santa Monica, California Green Building Program • Population: 84,000 • Budget: \$1,000,000

Santa Monica developed a green building program in order to improve water quality and address other environmental impacts without forcing excessive cost burdens on developers, owners or occupants. Green building guidelines apply to institutional and commercial offices, light industrial buildings, commercial retail buildings, multi-family residences, and hotels/motels in the city. The guidelines contain recommended practices to reduce stormwater runoff and conserve water featuring innovative infiltration, water reuse, and landscaping practices. An urban runoff mitigation plan is required for all new development and redevelopment projects. The purpose of the mitigation plans is to ensure each development project maximizes permeable surface area and minimizes the amount of runoff directed to impermeable areas. Compliance is measured by documenting a 20% reduction in stormwater runoff volume after the site is developed. The city code also requires the use of pollution prevention practices and spill controls. The city also provides financial incentives to promote green building projects, and adopted a streamlined plan review process that expedites the plan approval process. <http://greenbuildings.santa-monica.org>

PROGRAM 10 SMART SITE PRACTICES DURING REDEVELOPMENT

Building Better Programs for Smart Site Practices During Redevelopment

Tips for Building a Program

- Identify several municipal building projects to demonstrate Smart Site practices.
- Make sure that Smart Site practices are incorporated into green building certification programs such as the Leadership in Environmental and Energy Efficient Design (LEED) standards.
- Analyze local codes to remove barriers to redevelopment and infill.
- Offer technical information on Smart Site practices in a central location such as a kiosk or website.
- Offer financial incentives to encourage Smart Site practices, such as energy efficiency grants, cost-sharing, tax credits, and waiver or reduction of certain fees.
- Develop a local recognition program to call attention to innovative projects and developers that show leadership in Smart Site practices.

Tips for Fine-Tuning an Existing Programs

- Keep track of redevelopment projects where Smart Site practices have been successfully demonstrated to educate the local design community.
- Expedite the green building approval process so that it is faster than the standard development approval process.
- Hardwire Smart Site requirements into standard municipal building design and construction contracts.

Resources for Smart Site Practices during Redevelopment

MDE Montgomery Park: Green Building and Smart Growth <http://www.montgomerypark.com/green.html>
http://www.mde.state.md.us/AboutMDE/mp_special.ASP

Miami River Urban Infill Plan <http://miamirivercommission.org/PDF/UIP-Final.pdf> This is a very large download. Before clicking, you may want to visit the main page to read more about the plan: <http://miamirivercommission.org>

Natural Resources Defense Council Office in Santa Monica <http://www.nrdc.org/cities/building/smoffice/walkwater05.asp#smtop>

Redevelopment Roundtable Consensus Agreement: Smart Site Practices for Redevelopment and Infill Projects (Center for Watershed Protection, 2001) at <http://www.cwp.org>

PROGRAM 11 WATERSHED EDUCATION AND PERSONAL STEWARDSHIP

Education is an important Smart Watershed program since it increases public awareness about important resident behaviors that produce or reduce stormwater pollution. Recent experience has shown that carefully targeted campaigns can be very effective in changing watershed behaviors. Community programs are also the most direct conduit to services that make it easier for individual residents to practice better watershed stewardship on their own patch of ground.

Smart Watershed Objectives

- Craft and implement watershed education programs that focus on key pollutants and behaviors with a carefully targeted message for the intended audience.
- Provide a range of direct services to help watershed residents do the right thing in terms of pollution prevention and to understand the positive and negative consequences of personal actions.
- Continuously strive to make every resident aware of available stewardship services and provide them in the most accessible and convenient manner possible.

Benchmarks

- 43. Watershed education and outreach activity
- 44. Diversity of watershed education programs
- 45. Convenient access to stewardship services

National Average of Program Activity

Overall Score 65%
 Large Communities 77%
 Medium Communities 63%
 Small Communities 57%

Case Study in Watershed Education and Personal Stewardship

Austin, Texas Watershed Outreach and Education Programs • Budget: \$825,000/year

Austin’s watershed outreach and education programs are unique and diverse, ranging from Earth-wise gardening to school and community programs. Outreach activities are specifically aimed at empowering people to adopt practices and change behaviors to reduce stormwater pollution problems. The city has successfully targeted education efforts to reach specific audiences and demographic groups. For example, stormwater outreach efforts include school and camp programs, a watershed website, bilingual maps and brochures, storm drain marking, watershed cleanups, citizen monitoring, and a xeriscaping program. The city provides convenient access to services that enable residents to become good watershed stewards, such as hazardous waste and recycling drop off sites, regular yard waste collection, pet waste collection stations, discounted compost, and used oil collection. In addition, the programs are regularly evaluated and adapted to reach the greatest number of people. <http://www.ci.austin.tx.us/watershed/>



PROGRAM 11 WATERSHED EDUCATION AND PERSONAL STEWARDSHIP

Building a Better Watershed Education and Personal Stewardship Program

Tips for Building a Program

- Target educational messages to specific audience needs.
- Determine the watershed issues that residents find most compelling, and then craft action-oriented educational tools to address them.
- Provide easy access to services that help residents become better watershed stewards.
- Develop education approaches for local elected officials – a watershed brief book can be used to compile important watershed-related information and news on a regular basis.
- Partner with the school system to build stormwater education into the curriculum.

Tips for Fine-Tuning an Existing Programs

- Survey residents before and after education efforts to document change and measure effectiveness of outreach techniques.
- Continue targeting education efforts to focus on a few new audiences each year such as real estate developers, local building industry associations, and homeowner associations.
- Understand the changing demographics of urban watersheds and adapt educational materials to address change and resident turnover.

Resources for Watershed Education and Personal Stewardship

AWRA 2000 Proceedings: <http://www.awra.org/proceedings/Alaska2000/ak04/>

Chesapeake Club Media Campaign <http://www.chesapeakeclub.org/media.htm>

EPA Section 319 Success Stories <http://www.epa.gov/owow/nps/Section319III/inform.htm>

King County, WA Water Quality Consortium Ad Campaign http://www.psat.wa.gov/Programs/Pie_Ed/Water_Ed_Materials.htm

Northern Virginia Stormwater Education Radio Campaign http://www.novaregion.org/pdf/NVRCProgramHL6_05.pdf

Portland OR – Downspout Disconnection Program <http://www.portlandonline.com/bes/index.cfm?c=31246>

Austin Hazardous Waste Facility and Reuse Store <http://www.ci.austin.tx.us/sws/hhw.htm>

Getting in Step: A Guide for Conducting Watershed Outreach Campaigns (McPherson and Tanning, 2003a) and *Getting in Step: Engaging and Involving Stakeholders in Your Watershed* (MacPherson and Tanning, 2003b) at <http://www.epa.gov/owow/watershed/outreach/documents/>

Westbrook Elementary School Stream Studies web site <http://www.mcps.k12.md.us/schools/westbrookes/streamstudies.html>

PROGRAM 12 PUBLIC INVOLVEMENT AND NEIGHBORHOOD CONSULTATION

Public involvement is critical to enlist long-term support for local watershed restoration efforts. Early public involvement in the planning process can provide important feedback on restoration goals and priorities. Communities that establish a positive relationship with residents during each step of the restoration planning process can gain support for project and program funding. This Smart Watershed program evaluates the degree to which a community enables the public to become involved and fully participate in the watershed restoration planning process.

Smart Watershed Objectives

- Provide meaningful opportunities for public involvement and participation in each step of a subwatershed restoration plan.
- Ensure that neighborhoods are fully consulted about local restoration projects.

Benchmarks

46. Stakeholder involvement in restoration planning 48. Public access to restoration information
47. Neighborhood consultation about restoration projects

National Average of Program Activity

Overall Score 71%

Large Communities 85%

Medium Communities 75%

Small Communities 50%

Case Study in Public Involvement and Neighborhood Consultation

Rockville, Maryland Watts Branch Watershed Community Charrettes • Population: 59,000

Who could possibly be against watershed restoration? Quite a few people, actually, if they haven't been involved in the design and location of restoration projects. The construction of restoration projects can have a dramatic effect on the character of neighborhoods, open space and parkland. Trees can be cleared, park uses changed, and possible water hazards created. When the City of Rockville, Maryland began an ambitious program to restore Watts Branch, they were mindful of past controversies about stormwater retrofit projects. Consequently, the city committed itself to actively involve the public in decision-making throughout the entire process. The city held more than twenty meetings (roughly four per every square mile in the watershed), posted project information on its website and community list serve and installed a watershed information kiosk in City Hall.

The city went well beyond public notification and education by forming the Watts Branch Partnership to include residents in the design and location of retrofit and stream restoration projects. The public was invited to participate in field meetings, retrofit inventories, stream assessments, and even site visits with permitting agencies. Numerous site tours were held with neighborhood and civic associations. Design charrettes were held to jointly develop a ranking system to prioritize retrofits, and raise concerns about tree clearing, loss of screening, and change in park uses. Several projects were redesigned, relocated or dropped from further consideration as a direct result of community involvement. The investment in neighborhood consultation was pivotal in getting the partnership to strongly endorse the final restoration plan. Based on the strong community support, the City Council authorized nearly \$3,000,000 for final design and implementation of restoration projects.

PROGRAM 12 PUBLIC INVOLVEMENT AND NEIGHBORHOOD CONSULTATION

Building a Better Public Involvement and Neighborhood Consultation Program

Tips for Building a New Program

- Treat the public as a partner in restoration and not as a potential foe.
- Make public involvement transparent, credible and responsive.
- Go beyond mere notification and give residents meaningful opportunities to participate in restoration planning.
- Remember that activities such as stream walks and site tours are effective ways to educate residents first hand about watershed problems that need to be addressed.
- Provide suggestions at public meetings about simple stewardship actions residents can take and how they can report water quality problems.
- Clearly indicate how public input will be used in watershed planning decisions and project implementation.
- Be prepared to defray public discontent about unrelated community issues. A few cranky citizens can derail the process, so know what hot issues are important in the neighborhood and be ready to provide contacts that can help resolve problems.
- Contact homeowners associations and civic groups to get on their agenda to describe restoration projects.

Tips for Fine-Tuning Existing Programs

- Get to know your local media and public access cable channel. Local media can help get the word out about projects and highlight the restoration program, but keep in mind that media need a lot of lead time, so plan a season ahead.
- Give restoration partners face time and speaking opportunities at public meetings.
- Manage controversial restoration projects by hiring a facilitator, utilizing a neutral spokesperson, or training key staff on facilitation skills.
- Formulate a detailed plan for the different types of public meeting formats and rehearse them in advance.
- Provide a feedback form for stakeholders to comment on projects, and provide food and fun for all stakeholders.

Resources for Public Involvement and Neighborhood Consultation

Baltimore County State of our Watersheds Conference http://www.co.ba.md.us/Agencies/environment/watersheds/ep_watershedconference.htmlhttp://www.co.ba.md.us/News/2003/october/1027_watersheds.html

Urban Subwatershed Restoration Manual 2: Methods to Develop Restoration Plans for Small Watersheds (Schueler and Kitchell, 2005)

Getting in Step: Engaging and Involving Stakeholders in Your Watershed (MacPherson and Tinning, 2003b) at <http://www.epa.gov/owow/watershed/outreach/documents/>

Pennsylvania Senior Environmental Corps <http://www.dep.state.pa.us/hosting/pasec/>

PROGRAM 13 POLLUTION PREVENTION AT STORMWATER HOTSPOTS

A hotspot is defined as an urban land use or operation that generates higher concentrations of pollutants than are typically found in stormwater runoff. Simple pollution prevention practices employed at stormwater hotspots can sharply reduce pollutant loading and the frequency of spills, leaks and illicit discharges.

Smart Watershed Objectives

- Target major hotspot operations within subwatersheds with a range of carrots and sticks to promote greater pollution prevention activity.
- Provide clear and compelling pollution prevention education materials, compliance and enforcement information, and business recognition programs.

Benchmarks

- | | |
|--|---|
| 49. Identify and map stormwater hotspots | 51. Business recognition and partnerships |
| 50. Target businesses for education and outreach | |

National Average of Program Activity

Overall Score 35%	Large Communities 39%
	Medium Communities 42%
	Small Communities 21%

Case Study in Pollution Prevention at Stormwater Hotspots

Seattle Pollution Control Inspection Program • Population: 572,600

The City of Seattle works with local businesses to improve the stormwater quality delivered to local creeks, lakes and the Puget Sound. Business inspections are a key element of the city's stormwater pollution prevention program required under its NPDES MS4 stormwater permit. The city inspects businesses that connect to its stormwater system that engage in activities and operations known to generate pollutant discharges, known as stormwater hotspots. Existing hotspot businesses must prepare spill prevention plans and implement operational controls to prevent runoff pollution. New hotspot businesses may also be required to install source controls or treat them with structural stormwater practices. Each business receives a notification letter sent a month before the planned inspection date. During the inspection, a water quality inspector identifies potential sources of pollutants to the storm drain system and observes whether pollution prevention practices are being maintained. If any corrective actions are needed, they are described in a letter sent to the property owner within two weeks of the inspection. The letter briefly describes the nature of the problem, recommends techniques to prevent pollutant discharge, and sets a date when the property will be re-inspected. If corrective actions are not taken, a violation notice is issued that could result in a fine of up to \$500 for each day the violation continues. The city also provides financial support through the Greater Seattle Chamber of Commerce to offer local businesses free products and services that promote solid waste prevention, recycling, water conservation, stormwater pollution prevention and sustainable building. http://www.seattle.gov/util/Services/Drainage_&_Sewer/Stormwater_Related_Inspections/Pollution_Control_Inspections/index.asp

PROGRAM 13 POLLUTION PREVENTION AT STORMWATER HOTSPOTS

Building Better Local Pollution Prevention Programs

Tips for Getting Started

- Target training and inspections to specific hotspot business types based on local pollutants of concern and problems found during local illicit discharge detection screening (see Program 8).
- Coordinate pollution prevention training for inspectors with adjacent communities to reduce costs.
- Create a database of hotspots for each subwatershed and make this information available to inspectors and citizen volunteer monitors.

Tips for Fine-Tuning Existing Programs

- Ensure that local inspection staff and other employees promote pollution prevention during other routine site visits and inspections.
- Develop a business recognition program for companies that do the right thing.
- Use municipal facilities to demonstrate effective pollution prevention practices.
- Conduct voluntary site audits and offer technical assistance before taking enforcement action – it is more cost-effective and can avoid litigation costs.

Resources for Pollution Prevention at Stormwater Hotspots

EPA Stormwater Management for Industrial Activities: Developing Pollution Prevention Plans http://www.epa.gov/npdes/pubs/contents_indguide.pdf

EPA Compliance Assistance Centers <http://www.epa.gov/compliance/assistance/centers/index.html>

King County, WA Stormwater Pollution Control Manual <http://dnr.metrokc.gov/wlr/dss/SPPM.htm>

Montgomery County Clean Water Partners – resource link to handbooks <http://www.montgomerycountymd.gov/deptmpl.asp?url=/content/dep/Epartners/home.asp>

Urban Subwatershed Restoration Manual 8: Pollution Source Control Practices (Schueler et al., 2004)

Urban Subwatershed Restoration Manual 11: The Unified Subwatershed and Site Reconnaissance (USSR): A Users Manual. (Wright et al., 2004).

PROGRAM 14 POLLUTION PREVENTION AT MUNICIPAL OPERATIONS

The daily actions of public employees and municipal contractors can exert a strong influence on the quality of stormwater runoff in any watershed. In addition, public employees are also the front-line for public outreach and education and are instrumental in setting a good example. Changes in municipal operations such as street sweeping, yard waste collection, recycling of used oil and household hazardous waste, and general trash control can all help reduce stormwater, air and groundwater pollution. In addition, routine cleaning of streets and storm drains can help reduce pollutant loads delivered to local waters.

Smart Watershed Objectives

- Integrate pollution prevention in the daily operations of public employees and municipal contractors.
- Commit to continuous training of employees and municipal contractors, and employ innovative pollution reduction techniques throughout all municipal operations.
- Design a pollution prevention strategy for each municipal operational area and designate a lead local agency or operations manager to implement the pollution prevention training.

Benchmarks

- | | |
|--|--|
| 52. Municipal pollution prevention operations | 55. Emergency spill and discharge response |
| 53. Municipal road and storm drain maintenance | 56. Environmental management system |
| 54. Ongoing training of municipal employees | |

National Average of Program Activity

Overall Score 59%	Large Communities 85%
	Medium Communities 54%
	Small Communities 43%

Case Study in Pollution Prevention at Municipal Operations

Los Angeles Municipal Training Program

To ensure compliance with its MS4 NPDES stormwater permit, Los Angeles initiated a training program to educate all 41,000 City employees on the actions they can take to reduce the amount of pollutants entering the municipal storm drain system. This training program includes a video entitled *Stormwater Pollution — What You Can Do* and a supplemental handbook distributed to all city divisions. The 20-minute video demonstrates good housekeeping practices, and the handbook describes actions employees can take to reduce stormwater pollution on the job and at home. Each division within the City of Los Angeles is responsible to ensure that all employees watch the video and read a copy of the handbook. The second phase of the training program provides specialized training for employees whose job duties directly impact the quality of urban runoff. In addition, all city facilities are required to develop stormwater pollution prevention plans. City employees that work in the field also receive extensive training to recognize stormwater pollution or illicit discharge problems and promptly report them to the appropriate authority.

PROGRAM 14 POLLUTION PREVENTION AT MUNICIPAL OPERATIONS

Building Better Municipal Pollution Prevention Programs

Tips for Getting Started

- Foster an institutional mindset of going beyond compliance.
- Provide training opportunities and employee recognition programs that reward innovation and problem-solving.
- All field staff should carry emergency pollution response contact information with them at all times.
- Approach a local private industry with a good operations reputation to help train staff in doing on-site pollution prevention audits.
- Include basic pollution prevention operating procedures into municipal contract language for any contracted services that have the potential to generate pollutants.

Tips for Fine-Tuning Existing Programs

- Designate a pollution prevention coordinator to provide oversight of pollution prevention education, training, and implementation programs across all municipal operations.
- Cross-train employees, particularly field staff, in recognizing problems and how to respond appropriately as a first responder and in getting assistance on-site.
- Link municipal pollution prevention training to new employee orientation programs and performance reviews.

Resources for Pollution Prevention at Municipal Operations

National Pollution Prevention Roundtable <http://www.p2.org/>

EPA Performance Track <http://www.epa.gov/performancetrack/index.htm>

San Francisco CA – Integrated Pest Management <http://www.pesp.org/1998/birc98.htm>

Seattle Pesticide Use Reduction Program <http://www.cityofseattle.net/environment/Pesticides.htm>

Pollution Prevention/Good Housekeeping for Municipal Operations <http://cfpub.epa.gov/npdes/stormwater/menuofbmps/poll.cfm>

Stormwater Phase II Final Rule - Permitting and Reporting: The Process and Requirements <http://www.epa.gov/npdes/pubs/fact2-9.pdf>

Storm Water Phase II Compliance Assistance Guide <http://www.epa.gov/npdes/pubs/comguide.pdf>

CHAPTER 3

THE SMART WATERSHED BENCHMARKING TOOL

This chapter presents the Smart Watershed benchmarking tool, which consists of a detailed questionnaire to measure activity and integration with 14 individual municipal watershed restoration programs. The chapter provides guidance to help program managers or watershed groups complete the tool and interpret results for their community, including alternative scoring methods for small communities and communities that lack perennial streams. Points are awarded based on answers to 56 individual benchmark questions with a total of 100 points possible (Table 4). An additional 15 extra credit points can be awarded to communities that exceed the national average level of restoration activity in a program area. The actual points awarded for each benchmark

question are based on quantitative scoring criteria along with the recommended documentation to support or verify individual scoring decisions. Individual scores are then entered into a scorecard to get a total aggregate score for the community (Table 5).

Total scores for the benchmarking tool are adjusted for three different community sizes:

- Small communities: population of less than 50,000
- Medium communities: population from 50,000 to 250,000
- Large communities: population greater than 250,000

TABLE 4: OVERVIEW OF THE SMART WATERSHED BENCHMARKING TOOL

Program No.	Smart Watershed Program	Number of Benchmarks	Total Points
1	Subwatershed Restoration Planning	9	13
2	Stream and Subwatershed Field Assessment	3	7
3	Subwatershed Monitoring and Reporting	4	5
4	Watershed Restoration Financing	3	5
5	Management of Natural Area Remnants	4	10
6	Stormwater Retrofitting	3	10
7	Urban Stream Repair/Restoration	4	7
8	Illicit Discharge Detection and Elimination	5	8
9	Maintenance, Inspection and Enforcement	3	5
10	Smart Site Practices During Redevelopment	4	5
11	Watershed Education and Personal Stewardship	3	9
12	Public Involvement and Neighborhood Consultation	3	5
13	Pollution Prevention at Stormwater Hotspots	3	4
14	Pollution Prevention at Municipal Operations	5	7
TOTAL		56	100

Plus up to 15 extra credit points based on program implementation rates : Max Score = 115

TABLE 5: STANDARD SMART WATERSHED BENCHMARKING TOOL SCORECARD				
Benchmark No.	Description of Benchmark	Maximum Points	Points Awarded	Extra Credit
Program 1: Subwatershed Restoration Planning				
1	Subwatershed-based restoration planning	1		
2	Subwatershed planning activity	2		1
3	Clear goals driving restoration efforts	2		
4	Comparative subwatershed analysis *	1		
5	Dedicated staffing for watershed coordination *	2		
6	Watershed management structure	1		
7	Watershed-based GIS mapping system *	2		
8	Tracking of restoration information *	1		
9	Mechanism for plan adoption	1		
<i>Subtotal</i>		13		
Program 2: Stream and Subwatershed Field Assessments				
10	Rapid stream corridor assessments	2		1
11	Field evaluation of corridor restoration potential	3		
12	Field evaluation of upland restoration potential *	2		
<i>Subtotal</i>		7		
Program 3: Watershed Monitoring and Reporting				
13	Subwatershed monitoring program *	2		1
14	Aquatic indicators linked to watershed goals *	1		
15	Public notification of water quality problems *	1		
16	Data management and reporting	1		
<i>Subtotal</i>		5		
Program 4: Financing Watershed Restoration				
17	Total watershed restoration expenditures	2		2
18	Long-term funding for plan implementation	1		
19	Local funding for Smart watershed programs *	2		
<i>Subtotal</i>		5		
Program 5: Management of Natural Area Remnants				
20	Inventory of natural area remnants	3		
21	Natural area planning and management	3		
22	Dedicated funding for restoration/reforestation *	1		
23	Subwatershed reforestation/restoration activity	3		1
<i>Subtotal</i>		10		
Program 6: Stormwater Retrofitting				
24	Subwatershed retrofit inventory	4		
25	Level of stormwater retrofit implementation	4		1
26	Demonstration of innovative technology *	2		
<i>Subtotal</i>		10		
Program 7: Urban Stream Repair and Restoration				
27	Systematic subwatershed approach	2		
28	Level of stream repair implementation	2		1
29	Sophistication of stream repair practice	2		
30	Postconstruction project evaluation/monitoring *	1		
<i>Subtotal</i>		7		

TABLE 5: STANDARD SMART WATERSHED BENCHMARKING TOOL SCORECARD				
Benchmark No.	Description of Benchmark	Maximum Points	Points Awarded	Extra Credit
Program 8: Illicit Discharge Detection and Elimination				
31	Possess discharge control authority *	1		
32	Discharge mapping and screening *	2		
33	Outfall reconnaissance inventory	2		
34	Pollution hotline and response *	1		
35	Activity in eliminating discharges	2		
<i>Subtotal</i>		8		
Program 9: Watershed Maintenance, Inspection and Enforcement				
36	Inspect and maintain stormwater practices *	2		
37	Inspect and maintain restoration practices	2		
38	Water quality enforcement activity	1		
<i>Subtotal</i>		5		
Program 10: Promote Smart Site Practices during Redevelopment				
39	Conduct audit of redevelopment codes	1		
40	Adopt Smart Site Practices for redevelopment *	1		
41	Demonstrate in municipal construction projects	2		1
42	Financial incentives for private sector *	1		
<i>Subtotal</i>		5		
Program 11: Watershed Education and Personal Stewardship				
43	Watershed education and outreach activity	3		1
44	Diversity of watershed education programs	4		
45	Convenient access to stewardship services *	2		
<i>Subtotal</i>		9		
Program 12: Public Involvement and Neighborhood Consultation				
46	Stakeholder involvement in restoration planning	2		1
47	Neighborhood consultation in restoration	2		
48	Public access to restoration information *	1		
<i>Subtotal</i>		5		
Program 13: Pollution Prevention at Stormwater Hotspots				
49	Identify and map stormwater hotspots	1		
50	Targeted businesses for education and outreach	2		
51	Business recognition and partnerships *	1		1
<i>Subtotal</i>		4		
Program 14: Pollution Prevention at Municipal Operations				
52	Municipal pollution prevention operations	2		
53	Municipal road and storm drain maintenance	2		
54	Ongoing employee training *	1		
55	Emergency spill and discharge response *	1		
56	Environmental management system *	1		
<i>Subtotal</i>		7		
TOTAL		100		

* benchmark may not fully apply to small communities –see Table 9 for scoring guidance for these communities

3.1 Steps to Complete the Benchmarking Tool

This section describes the seven steps needed to complete the benchmarking tool. The tool has been designed to take less than 40 hours of staff time in most communities, although it is prudent to schedule the time over a month to complete the entire process. In general, the tool is retrospective, and unless otherwise stated, asks for a characterization of restoration activity in the preceding one to three years.

Step 1: Decide Whether to Apply the Tool at the Community or Watershed Scale

The first key decision is whether to apply the tool across all municipal programs in a community or only apply it to a specific watershed. In the first case, the tool is used to examine how well restoration programs are integrated across an entire community. The second case evaluates individual watershed restoration plans from the standpoint of how implementation is integrated among municipal agencies. Most municipalities will apply the tool at the community scale, unless they have specifically focused limited restoration resources within a targeted watershed.

Step 2: Determine if Alternative Scoring is Needed Based on Local Conditions

While the benchmarking tool is applicable to a wide range of community sizes and geographic conditions, there are two specific situations where communities may choose an alternative scoring system to present a fair and more balanced assessment of their local restoration programs. This occurs when a community:

- Is small (population less than 50,000)
- Lacks many perennial streams (common in ultra-urban communities with greater than 75% impervious cover, and/or arid regions of the West with a very low perennial stream density)

Sections 3.2 and 3.3 provide guidance to help users choose whether it makes more sense to use an alternative scoring system in these situations.

Step 3: Find the Appropriate Local Staff to Fill Out the Benchmarking Tool

The next step is to find out who can most quickly put their hands on the right data to fill out the benchmarking tool. Ideally, local staff filling out the benchmarking tool will have the following skills:

- Understand how the community is meeting local and state water quality and stormwater management requirements
- Are broadly familiar with local restoration activity
- Understand local budget documents
- Know key restoration players and watershed education groups in the community
- Don't mind making some cold calls to get data
- Can quickly scan restoration documents to extract summary information
- Have contacts with external organizations and agencies that may be providing watershed services in the community

In some cases, it may be desirable to assemble an interagency team to work together to fill out the benchmarking tool. It may also be useful to conduct a Needs and Capabilities Assessment (Schueler and Kitchell, 2005) at the same time to help discover the right contacts, inside and outside of government, that are knowledgeable about local watershed restoration efforts.

Step 4: Review Information of Local Restoration Program Information

The real detective work involves analyzing reports, budget justifications and watershed plans to find the information to score each benchmark. For larger communities, it is always a good idea to review:

- NPDES MS4 Phase I or II stormwater permits and annual reports

- Water quality monitoring reports
- Stream and subwatershed field assessments
- Watershed and/or subwatershed restoration plans
- Action plans/work programs of local watershed groups
- Available GIS mapping resources
- Watershed education and outreach materials
- Agency operating and capital budget documents
- Municipal facility maintenance and pollution prevention plans
- Codes and ordinances related to redevelopment
- Park management plans and/or comprehensive plans that have a natural areas component

Step 5: Compile Program Budget Information

The most difficult and tedious step is to compile Smart Watershed budget information across many local departments, agencies and organizations. A worksheet has been provided in Appendix A to simplify the job. Both annual operating and capital budgets need to be carefully scrutinized for line-item expenditures to determine total staffing and contracting dollars for each program area. In many cases, multiple agency or departmental budgets need to be examined, but start first with public works and the agency that administers the local stormwater permit. Hard decisions need to be made on how to assign actual staff effort to individual smart watershed program budget categories. Once the budget information is compiled on the worksheet, it is often surprising to see how much existing funding is available to support restoration.

Step 6: Document Scoring Decisions and Assemble Supporting Documentation in Master Binder

By now, the team has enough information to make the scoring decisions for each benchmark question and assemble the documentation to support them. It is highly recommended that the team compile supporting documentation in a three-ring master binder. The benchmarking tool provides a box after each question to justify the scor-

ing rationale and reference the corresponding tab in the master binder where supporting documentation can be found.

Scoring is always subject to some interpretation and possible bias. Therefore, it is important to clearly document the scoring rationale, and have a second person review each scoring decision. In cases where answers to a benchmark question are unclear or difficult to ascertain, it may be helpful to review the program profile sheet and consult the resources section to see how other communities are addressing the program. Once individual scores for each benchmark are reviewed and verified, they can then be entered into the standard scorecard provided in Table 5 to determine the aggregate Smart Watershed score for the community.

Step 7: Analyze Program Strengths and Weaknesses

The final task is to total up the aggregate score for the community (or watershed), making sure to add in any extra credit points. Based on community size, the total score is converted into an overall grade based on a sliding scale. Thus, a large community must receive 90 or more points to qualify for the highest Smart Watershed grade; whereas medium and small communities must only exceed 80 and 70 points, respectively, to qualify for the same grade. Tables 6 to 8 outline the overall Smart Watershed grades that can be assigned to different-sized communities.

Communities should also analyze individual program score totals to look for their strengths and weaknesses. It is advisable to establish an inter-agency workgroup to study the scores and find areas to add new programs or fine-tune existing ones. In many cases, the team may want to recruit new agencies or partners to the restoration effort, and target specific program areas for greater local restoration investment, staff training or capacity building. Useful program building resources are included in the Program Profile Sheets to help build or improve Smart Watershed programs.

TABLE 6: SMART WATERSHED BENCHMARKING GRADES FOR LARGE COMMUNITIES (POPULATION >250,000)	
A	90 points or more. Congratulations! Your community is a national leader in watershed restoration and is a model for other communities to follow. Your local restoration programs are integrated and aligned, and the rate of actual implementation is high.
B	80 to 89 points. Good work but room for improvements. A few gaps exist in your local programs, so review your scores to see if adding new programs or expanding existing ones can help you reach the next level.
C	70 to 79 points. Good start, but your local restoration programs are not integrated and aligned enough to realize improvements in water quality or habitat. Invest more in your weak program areas and improve interagency coordination.
D	50 to 69 points. While your community may technically be in compliance with your Phase I MS4 stormwater permit, you are not achieving many stormwater or watershed restoration benefits. Time for a wholesale review of most of your restoration programs.
F	30 to 49 points. Local watershed restoration programs need serious upgrading and additional investment in order to meet minimum Phase I MS4 stormwater permit requirements and other water quality regulations.
F	29 or fewer points or less. Your community needs to devote immediate attention to improving stormwater and watershed restoration programs – your score strongly suggests possible non-compliance with stormwater permits and water quality regulations.

TABLE 7: SMART WATERSHED BENCHMARKING GRADES FOR MEDIUM COMMUNITIES (POPULATION 50,000 – 250,000)	
A	80 or more points. Excellent. Given the size and resources available to your community, you are doing a commendable job on implementing watershed restoration projects on the ground – and are a model for comparably sized communities to follow.
B	70 to 79 points. Good job. While your overall program activity is high, further investments to align and integrate your watershed restoration programs can help you reach the next level and improve the health of your watersheds.
C	60 to 69 points. Good start, but a ways to go. Carefully review your individual program scores to look for low cost opportunities to add or expand local watershed restoration programs. Look for creative ways to engage new partners to leverage resources.
D	40 to 59 points. Need improvement. Your watershed restoration activity is not comprehensive enough to meet local water quality goals or the spirit of your MS4 NPDES Phase I or II permit or other looming water quality regulations.
F	39 or fewer points. Poor. It's time to immediately review your local stormwater and watershed restoration programs since they do not appear to comply with the minimum requirements of your MS4 NPDES Phase I or II permit.

**TABLE 8: SMART WATERSHED BENCHMARKING GRADES FOR SMALL COMMUNITIES
(POPULATION <50,000)**

A	<i>70 or more points.</i> Well done. For a smaller community, your commitment to watershed restoration efforts are a model for any size community to follow, and should help to improve local water quality and habitat conditions.
B	<i>60 to 69 points.</i> Good work. Your watershed restoration programs place you well ahead of the curve compared to other small communities. Greater partnering can leverage resources that may help to add or enhance programs to get to the next level.
C	<i>40 to 59 points.</i> Decent effort, considering that few restoration programs are actually mandated for small communities. Find a few weak program areas to focus greater effort in coming years.
D	<i>20 to 39 points.</i> Significant improvement is needed in your watershed restoration program to meet local water resources goals – consider developing a broad strategy to educate citizens and elected leaders on the needs and benefits of watershed restoration.
F	<i>19 or fewer points.</i> Poor. Your program activity in watershed restoration is extremely low compared to your peers, and significantly greater program investment is needed to restore your local watersheds.

3.2 Alternative Scoring System for Small Communities

The benchmarking tool is inherently biased against small communities that have a population less than 50,000 because they lack the resources available to larger communities. When it comes to watershed restoration, small communities tend to be reliant on:

- a handful of staff (at best) that often have competing responsibilities
- extremely limited annual operating budgets and no long-term capital budgets
- state and federal grants for most of their restoration funding support
- volunteers, outside consultants, and watershed groups to provide staffing
- paper files and records, as compared to more sophisticated GIS systems
- a completely voluntary approach to watershed restoration since they are generally not regulated under current MS4 NPDES Phase II stormwater permits

Indeed, during testing and review, it became apparent that small communities with strong restoration programs might lose as many as 30 points when completing the benchmarking tool, as shown in Table 9. In some cases, benchmarks are not relevant or applicable to small communities. In other cases, the benchmarks are handled better by a larger local, regional or state authority.

A small community has two options on how to complete the benchmarking tool. The first option is to use the same scoring as larger communities, but take advantage of the lower grading thresholds shown for small communities in Table 8 (e.g., highest grade awarded if it scores 70 or more total points).

The second option is to employ the alternative scoring system for small communities presented in Appendix C. This scoring system uses more flexible and appropriate scoring criteria to define success for 24 select benchmark questions. The scoring criteria reward small communities that employ creative approaches to promote local watershed restoration such as:

- Partnering with adjacent communities or watershed groups to leverage additional resources to support restoration programs
- Using local volunteers or watershed groups to meet restoration benchmark
- Seeking non-local sources of funding such as grants to support programs
- Piggybacking onto existing regional or state programs to provide restoration coverage

Small communities then add up points using the standard scorecard (Table 5) for the benchmark questions outlined in Appendix C, assuming they meet the more flexible scoring criteria. Small communities then tabulate their overall grade by taking their adjusted new total score, and applying it against the medium community Smart Watershed grading system shown in Table 7.

3.3 Alternative Scoring for Communities that Lack Perennial Streams

The benchmarking tool is also biased against communities that lack an extensive network of perennial streams, such as ultra-urban communities with more than 75% impervious cover and communities located in arid or semi-arid regions in the West. In these cases, the benchmarking tool penalizes them because they cannot physically do stream repairs (because their streams have been entirely piped or lack perennial stream flow). Both areas also tend to have extremely limited natural area remnant areas, such as wetlands or forests. To help these communities, the benchmarking tool has been adjusted to reflect greater focus on water quality and pollutant reduction. Under this alternative scoring system, more than 20 benchmark questions have been revised or modified within ten of the 14 program areas to better reflect restoration opportunities. A condensed summary of the alternative scoring benchmarks is presented in Table 10, and a re-

TABLE 9: BENCHMARKS THAT MAY NOT APPLY TO SMALL COMMUNITIES

No.	Name	Points
4	Comparative subwatershed analysis	1
5	Dedicated staffing for watershed coordination	2
7	Watershed-based GIS mapping	2
8	Tracking of restoration information	1
12	Field evaluation of upland restoration potential	2
13	Subwatershed monitoring program	1 of 2
14	Aquatic indicators linked to watershed goals	1
15	Public notification of water quality problems	1
19	Local funding for Smart Watershed programs	2
22	Dedicated funding for restoration/ reforestation	1
26	Demonstration of innovative retrofit technology	2
30	Post-construction project evaluation/monitoring	1
31	Possess discharge control authority	1
32	Discharge mapping and screening	2
34	Pollution hotline and response	1
36	Inspect and maintain stormwater practices	2
40	Adopt Smart Site practices for redevelopment	1
42	Smart Site incentives for private sector	1
45	Convenient access to municipal stewardship services	2
48	Public access to restoration information	1
51	Business recognition and partnerships	1
54	Ongoing employee training	1
55	Emergency spill and discharge response	1
56	Environmental performance policy	1
		32 points

vised scorecard for communities that lacks perennial streams can be found in Appendix D.

3.4 Awarding Extra Credit Points

It is possible for a community to earn extra credit points within each program area if the level of program activity goes beyond the national norm, based on a measurable rate of implementation. Collectively, a maximum of 15 extra credit points can be earned, although it is doubtful any community can qualify for them all. In order to qualify for extra credit, a community must demonstrate that it exceeds a given level of program implementation based on a defined metric. For example, the metric used to define

stream corridor assessments is based on the number of stream miles assessed. In this case, the metric also indicates different thresholds for implementation calibrated for small, medium and large communities based on the common unit of implementation.

The metrics and thresholds for implementation were based on reported levels of program activity in the 2003 survey. Only one extra credit point can be earned within each program area (with the exception of watershed financing, where up to two points can be awarded). Space has been provided in the Smart Watershed scorecard to add the extra credit points to arrive at the total community score (Table 5).

TABLE 10: SUMMARY OF REVISED SCORING BENCHMARKS FOR COMMUNITIES THAT LACK PERENNIAL STREAMS

- Program 2: Upland assessments such as outfall surveys, storm drain mapping and stream daylighting investigations are substituted for stream assessment methods
- Program 3: Water quality monitoring at stormwater outfalls replaces instream monitoring
- Program 5: Management of Natural Area Remnants is changed to Management of Vacant Lands and Open Space to reflect greater emphasis on land reclamation, brownfields and urban forestry, and reduced emphasis on forest and wetland conservation
- Program 6: More emphasis on implementation of on-site stormwater retrofits compared to storage retrofits
- Program 7: Stream Repair is changed to Stormwater Pollution Source Assessment, with points awarded for source area modeling, pollutant load analysis, behavior surveys and water quality simulation modeling
- Program 8: More points are awarded to illicit discharge screening and pollution hotlines
- Program 9: More points are awarded to water quality enforcement activity, fewer points awarded for maintenance of stormwater practices
- Program 13: More points awarded for pollution prevention at stormwater hotspots
- Program 14: More points awarded for pollution prevention at municipal operations

Note: Consult Appendix D to see revised scorecard for communities that lack perennial streams.

TABLE 11: MEASURING EXTRA CREDIT WITHIN EACH PROGRAM AREA

#	Benchmark	Metric Used to Define Extra Credit	Points
2	Subwatershed planning activity	Plans completed based on community size	1
10	Rapid stream corridor assessments	Stream miles assessed based on community size	1
13	Subwatershed monitoring program	Number of stations based on community size	1
17	Per-capita watershed restoration expenditures	Per capita restoration program expenditure	2
23	Subwatershed reforestation activity	Implementation rate based on community size	1
25	Level of stormwater retrofit implementation	Storage retrofits implemented based on community size	1
28	Level of stream repair implementation	Linear feet of stream repair based on community size	1
35	Activity in eliminating discharges	Response time to repair or correct illicit discharges and overflows	1
38	Water quality enforcement activity	Number of effective watershed enforcement programs	1
41	Demonstration in municipal construction projects	Number of projects, based on community size	1
43	Watershed education and outreach activity	Number of innovative program features	1
46	Stakeholder involvement in restoration planning	Number of innovative program features	1
50	Targeted business education and outreach	Number of innovative program features	1
52	Municipal pollution prevention activity	Type of municipal operations with active pollution prevention plans	1
Total Possible Extra Credit Points			15

3.5 The Smart Watershed Benchmarking Tool

This section presents the 56 individual benchmark questions that comprise the Smart Watershed benchmarking tool. The basic scoring criteria are described for each benchmark question, along with suggested documentation to support the answer.

PROGRAM 1 SUBWATERSHED RESTORATION PLANNING

1. Subwatershed-based restoration planning (1 point):

Do you conduct watershed restoration planning based on subwatersheds less than ten square miles in area?

Scoring Criteria: Award one point if answer to the question is YES. Communities doing plans at a larger watershed scale may be awarded a ½ point if their plans provide subwatershed detail.

Suggested Documentation: Provide copy of a community map that depicts watershed and subwatershed boundaries.

Score	Rationale and Corresponding Tab in Master Binder

2. Subwatershed planning activity (2 points):

How many subwatershed restoration plans have been initiated and/or completed in your community in the last three years?

Scoring Criteria: are based on community size up to a maximum of 2 points, as follows:

- *Small Community:* Award one point for each restoration plan initiated or completed in last three years
- *Medium Community:* Award ½ point for each restoration plan initiated in last three years and one point for each plan completed over the same time-span
- *Large Community:* Award ½ point for each 5% of total community area that is covered by a restoration plan completed in the past 3 years

Extra credit: Add one extra credit point for each completed plan above the thresholds indicated above.

Suggested Documentation: Attach the title page and executive summary of each completed plan, and compile a list of ongoing watershed planning efforts with an estimated time-line for completion.

Score	Rationale and Corresponding Tab in Master Binder

PROGRAM 1 SUBWATERSHED RESTORATION PLANNING

3. Clear goals driving restoration efforts (2 points):

Have you clearly articulated the goals that guide your watershed restoration efforts?

Scoring Criteria: Award one point if written restoration goals and objectives exist to guide the restoration process. Award a second point if the goals and objectives are time-based and linked to measurable indicators.

Suggested Documentation: List restoration goals and objectives developed to drive local watershed planning efforts and briefly describe the process by which they were developed.

Score	Rationale and Corresponding Tab in Master Binder

4. Comparative subwatershed analysis (1 point):

Have you systematically screened all the subwatersheds in your community (e.g., using desktop GIS analyses) to prioritize the ones with the greatest restoration potential or most severe impacts?

Scoring Criteria: Award one point if answer to the question is YES.

Suggested Documentation: Attach your priority subwatershed list and supporting documentation on the screening or ranking methods used to develop it.

Score	Rationale and Corresponding Tab in Master Binder

5. Dedicated staffing for watershed coordination (2 points):

Do you have dedicated staff to coordinate your watershed planning process?

Scoring Criteria: Award one point if an individual has been designated to coordinate local restoration efforts, with greater than 50% of their time allocated to this task. Award a second point if more than one full-time employee exists to coordinate watershed planning.

Suggested Documentation: Provide contact information and copy of position description for watershed planning coordinator. If watershed groups or consultants provide this function, please provide a copy of their scope of work and budget.

Score	Rationale and Corresponding Tab in Master Binder

6. Watershed management structure (1 point):

Does an interagency workgroup or watershed group exist to guide the subwatershed planning process?

Scoring Criteria: Award one point if the answer to the question is YES.

Suggested Documentation: Provide a current list of members involved in the watershed management structure and briefly describe its decision-making powers.

Score	Rationale and Corresponding Tab in Master Binder

PROGRAM 1 SUBWATERSHED RESTORATION PLANNING

7. Watershed-based GIS mapping system (2 points):

Do you utilize a watershed-based GIS mapping system that integrates all the data layers needed to support watershed restoration planning efforts?

Scoring Criteria: Award one point if a watershed-based GIS has been created to support planning efforts. Award a second point if the system is currently operational and accessible by the core restoration team.

Suggested Documentation: List the major data layers included in the GIS system and attach the most recent copy of watershed and subwatershed delineations.

Score	Rationale and Corresponding Tab in Master Binder

8. Tracking of restoration information (1 point):

Is a watershed-based geographic information system used to track cumulative restoration project implementation?

Scoring Criteria: Award one point if the answer to the question is YES.

Suggested documentation: Provide maps or spreadsheets that track project implementation and show cumulative effects of restoration efforts.

Score	Rationale and Corresponding Tab in Master Binder

9. Mechanism for plan adoption (1 point):

Have you defined the process by which subwatershed plans will be adopted, budgeted and implemented in your community?

Scoring Criteria: Award one point if the answer to the question is YES.

Suggested Documentation: Briefly describe the anticipated political process in your community to formally adopt, finance and implement subwatershed plans.

Score	Rationale and Corresponding Tab in Master Binder

TOTAL SCORE FOR PROGRAM 1: _____

PROGRAM 2 STREAM AND SUBWATERSHED FIELD ASSESSMENTS

10. Rapid stream corridor assessments (2 points):

Have you conducted stream corridor assessments within priority subwatersheds in the last three years?

Scoring Criteria: Maximum of two points based on community size and implementation rate, as follows

- *Small Communities:* Award one point for each subwatershed in which a stream corridor assessment has been completed
- *Medium Communities:* Award one point for each 25 miles of stream corridor assessed
- *Large Communities:* Award one point for each 50 miles of stream corridor assessed

Extra credit: Add one extra credit point if your community exceeds these stream corridor assessment thresholds.

Suggested Documentation: Provide a map describing the location and approximate mileage of all stream corridor assessments conducted in the past three years.

Score	Rationale and Corresponding Tab in Master Binder

11. Field evaluation of restoration potential in the stream corridor (3 points):

Does your rapid assessment methodology employ parameters that assess stream impacts and restoration potential?

Scoring Criteria: Award ½ point for each parameter that you routinely measure during your stream corridor assessments as shown in the list below. Maximum score: 3 points.

- | | |
|---|---|
| <input type="checkbox"/> Wetland assessment | <input type="checkbox"/> Stream corridor restoration needs |
| <input type="checkbox"/> Channel stability | <input type="checkbox"/> Riparian buffer quality |
| <input type="checkbox"/> Aquatic insect diversity | <input type="checkbox"/> Stormwater outfall screening |
| <input type="checkbox"/> Stream habitat | <input type="checkbox"/> Flow regime |
| <input type="checkbox"/> Water quality | <input type="checkbox"/> Other Indicator (please specify) _____ |

Suggested Documentation: Provide a sample copy of the field forms used in your most recent stream corridor assessment.

Score	Rationale and Corresponding Tab in Master Binder

PROGRAM 2 STREAM AND SUBWATERSHED FIELD ASSESSMENTS

12. Field evaluations of upland restoration potential (2 points):

Do you conduct any field assessments in upland areas of subwatersheds to evaluate restoration potential?

Scoring Criteria: Award ½ point for each type of field assessment routinely conducted in upland subwatershed areas. Maximum score: 2 points.

- Neighborhood source assessment
- Stormwater hotspot survey
- Upland reforestation surveys
- Stormwater retrofit inventory
- Streets and storm drain survey
- Other assessment (please specify)
- Assessment of natural area remnants

Suggested Documentation: Provide sample copy of field forms used to assess upland restoration potential at the subwatershed level.

Score	Rationale and Corresponding Tab in Master Binder

TOTAL SCORE FOR PROGRAM 2: _____

PROGRAM 3 SUBWATERSHED MONITORING AND REPORTING

13. Subwatershed monitoring program (2 points):

Do you have a monitoring program that measures key aquatic indicators at the subwatershed level?

Scoring Criteria: Award two points if your community conducts monitoring at subwatershed level. If monitoring is conducted at a broader scale, award only one point.

Extra credit: Award one extra credit point if your community operates long-term sentinel monitoring stations to track trends in specific subwatershed indicators.

Suggested Documentation: Provide map that shows locations of monitoring stations and indicate the frequency that monitoring data is collected.

Score	Rationale and Corresponding Tab in Master Binder

PROGRAM 3 SUBWATERSHED MONITORING AND REPORTING

14. Aquatic indicators linked to watershed goals (1 point):

Does your monitoring program employ aquatic indicators that reflect the goals and objectives of your watershed restoration effort so that progress can be quantified?

Scoring Criteria: Award one point if your monitoring program measures indicators directly linked to watershed goals.

Suggested Documentation: List the primary aquatic indicators you currently sample and then cross-reference them to the goals outlined earlier in Benchmark 3.

Score	Rationale and Corresponding Tab in Master Binder

15. Public notification of water quality problems (1 point):

Does your program provide timely notification to the public about spills, sewage discharges and other water quality problems that make it unsafe for the public to swim, recreate or consume fish from local waters?

Scoring Criteria: Award ½ point if a notification system exists to warn the public about water quality problems. Award another ½ point if the system has been tested and/or used in last three years.

Suggested Documentation: Briefly describe the warning system and provide examples of signs, press releases or media announcements used to notify the public.

Score	Rationale and Corresponding Tab in Master Binder

16. Data Management and Reporting (1 point):

Has your community analyzed monitoring data and reported results to the public and other stakeholders in the last three years?

Scoring Criteria: Award one point if the answer to the question is YES.

Suggested Documentation: Attach a copy of your most recent monitoring report.

Score	Rationale and Corresponding Tab in Master Binder

TOTAL SCORE FOR PROGRAM 3: _____

PROGRAM 4 FINANCING WATERSHED RESTORATION

17. Total watershed program expenditures (2 points):

How much does your community spend on a per capita basis for watershed restoration programs in comparison to other municipal programs?

Scoring Criteria: Award one point if total annual restoration program expenditures covering the 14 Smart Watershed programs are at least \$10 per capita. Award second point if restoration expenditures exceed \$15 per capita.

Extra credit: Add one extra credit point for each additional \$3 per capita spent on local watershed restoration above \$18, for a maximum of two points.

Suggested Documentation: Estimate your total annual operating and capital expenditures directly related to watershed restoration program efforts for most recent fiscal year using the budget worksheet provided in Appendix A, and then divide by total population.

Score	Rationale and Corresponding Tab in Master Binder

18. Long-term funding for plan implementation (1 point):

Does your community have a long-term capital budget that extends beyond the current budget year to provide dedicated funding for design and construction of watershed restoration projects?

Scoring Criteria: Award one point if the answer to the question is YES.

Suggested Documentation: Attach a summary of approved capital budget line items for watershed restoration projects (or dedicated funding allocation from a local stormwater utility, if applicable).

Score	Rationale and Corresponding Tab in Master Binder

PROGRAM 4 FINANCING WATERSHED RESTORATION

19. Local funding for Smart Watershed programs (2 points):

Does your local budget include operating and/or capital funding to support Smart Watershed programs?

Scoring Criteria: Mark the following boxes where operating or capital funds are dedicated for the current budget year. Award one point if at least seven boxes are checked. Award a second point if more than ten boxes are checked.

- Program 1 Subwatershed Restoration Planning
- Program 2 Stream and Subwatershed Field Assessment
- Program 3 Subwatershed Monitoring and Reporting
- Program 4 Financing Watershed Restoration
- Program 5 Management of Natural Area Remnants
- Program 6 Stormwater Retrofitting
- Program 7 Urban Stream Repair/Restoration
- Program 8 Illicit Discharge Detection and Elimination
- Program 9 Maintenance, Inspection and Enforcement
- Program 10 Smart Site Practices During Redevelopment
- Program 11 Watershed Education and Stewardship
- Program 12 Public Involvement and Neighborhood Consultation
- Program 13 Pollution Prevention at Stormwater Hotspots
- Program 14 Pollution Prevention at Municipal Operations

Suggested Documentation: Estimate your total annual operating and capital expenditures directly related to each of the 14 Smart watershed programs for most recent fiscal year using the budget worksheet provided in Appendix A.

Score	Rationale and Corresponding Tab in Master Binder

TOTAL SCORE FOR PROGRAM 4: _____

PROGRAM 5 MANAGEMENT OF NATURAL AREA REMNANTS

20. Inventories of natural area remnants (3 points):

Does your community have a current inventory or map of natural area remnants available at the watershed level to prioritize their management?

Scoring Criteria: Award one point for each of the following natural areas that have been mapped or inventoried within the last three years (maximum score: 3 points).

- Steep Slopes
- Wetlands
- Forest Cover or Canopy
- Vegetative Cover in Stream Corridor (Buffers)
- Open Space
- Vacant Lands
- Other RTE Habitat (please specify)

Suggested Documentation: Provide an example map showing distribution of natural area remnants.

Score	Rationale and Corresponding Tab in Master Binder

21. Natural area planning and management (3 points):

Does your subwatershed planning approach address conservation, restoration and reforestation of natural areas?

Scoring Criteria: Award one point for each of the following natural area planning and management activities that apply in your community (maximum score: 3 points).

- Watershed or community forest cover/canopy goals are established
- Upland public lands are reforested
- Existing natural remnants are actively restored or managed
- High quality natural remnants are conserved
- Stream corridors are reforested
- Vacant lands/brownfields are reclaimed
- Invasive species are removed from natural areas
- Other (please specify) _____

Suggested Documentation: Provide excerpts from subwatershed plans that demonstrate actual implementation of each of the boxes checked above.

Score	Rationale and Corresponding Tab in Master Binder

PROGRAM 5 MANAGEMENT OF NATURAL AREA REMNANTS

22. Dedicated funding for natural area restoration and reforestation (1 point):

Do you have an annual budget of at least one dollar per capita for on the ground implementation of natural area restoration and reforestation projects?

Scoring Criteria: Award one point if the answer to the question is YES.

Suggested Documentation: Derive from restoration budget worksheet provided in Appendix A.

Score	Rationale and Corresponding Tab in Master Binder

23. Subwatershed restoration and reforestation activity (3 points):

How many acres has your community restored/reforested to improve subwatershed conditions in the last three years?

Scoring Criteria: A maximum of 3 points can be awarded based on community size and level of restoration activity, as follows: Award one point for each restoration activity that exceeds minimum area thresholds provided in the table below:

RESTORATION ACTIVITY	COMMUNITY SIZE		
	Small	Medium	Large
Natural Area Restoration	5 acres	15 acres	30 acres
Stream Corridor Reforestation	5 acres	15 acres	30 acres
Upland Reforestation	5 acres	15 acres	30 acres

Extra credit: Add an extra credit point if your community can report some activity in all three restoration areas shown in the table above.

Suggested Documentation: Provide project descriptions and photo documentation, if available.

Score	Rationale and Corresponding Tab in Master Binder

TOTAL SCORE FOR PROGRAM 5: _____

PROGRAM 6 STORMWATER RETROFITTING

24. Subwatershed retrofit inventory (4 points):

Has your community conducted stormwater retrofit inventories within priority subwatersheds within the last three years?

Scoring Criteria: Up to four points, based on the scope of retrofit inventories undertaken, as follows:

- Award one point if a retrofit inventory has been conducted on municipal properties and at existing stormwater practices
- Award second point if inventory has been conducted in at least one priority subwatershed
- Award third point if full inventory has been completed in two priority subwatersheds
- Award fourth point if more than 25% of developed area in your community has been systematically evaluated for retrofit opportunities

Suggested Documentation: Provide map showing subwatersheds in your community where retrofit inventories have been undertaken, and provide a sample retrofit inventory field sheet.

Score	Rationale and Corresponding Tab in Master Binder

25. Level of stormwater retrofit implementation (4 points):

What is the level of activity in retrofit design and/or construction in the last three years?

Scoring Criteria: Up to four points, based on the number of retrofit projects installed, as follows:

- Award one point if at least one retrofit project is currently under design or construction
- Award second point if at least three retrofit projects are currently under design or construction
- Award third point if five or more retrofit projects have been completed or if completed retrofit projects have a combined drainage area of more than 250 acres
- Award fourth point if more than ten retrofit projects have been completed or if completed retrofit projects have a combined drainage area of more than 500 acres

Extra credit: Add one extra credit point if more than 15 retrofit projects have been completed in last three years.

Suggested Documentation: Provide list and brief description of retrofit projects designed and/or constructed. Note: credit is given for storage retrofit projects only.

Score	Rationale and Corresponding Tab in Master Binder

PROGRAM 6 STORMWATER RETROFITTING

26. Demonstration of innovative retrofit technology (2 points):

Do your retrofit projects incorporate innovative stormwater technologies?

Scoring Criteria: Award one point if storage retrofit designs employ more advanced or sophisticated practices than the "average" stormwater design submitted for new development in your community. Award a second point if innovative on-site retrofits are employed in your retrofit program such as green rooftops, rain gardens, and bioretention areas.

Suggested Documentation: Provide photos of innovative retrofit designs or practices.

Score	Rationale and Corresponding Tab in Master Binder

TOTAL SCORE FOR PROGRAM 6: _____

PROGRAM 7 URBAN STREAM REPAIR AND RESTORATION

27. Systematic subwatershed approach (2 points):

Are stream repair practices explicitly designed to address restoration objectives at the subwatershed level?

Scoring Criteria: Award one point if the answer to the question is YES. Award second point if stream repair projects are integrated with other subwatershed restoration practices such as storage retrofits and riparian reforestation.

Suggested Documentation: Briefly describe the methods used to assess stream restoration priorities at subwatershed scale and the primary objectives driving stream restoration in your community.

Score	Rationale and Corresponding Tab in Master Binder

PROGRAM 7 URBAN STREAM REPAIR AND RESTORATION

28. Level of stream repair implementation (2 points):

How many stream miles have been covered by urban stream cleanup and stream repair practices in the last three years?

Scoring Criteria: Are based on community size and type of stream repair implemented, as follows:

Award one point if the length of stream cleanup projects undertaken in the last three years exceeds the thresholds in the following table. Award second point if the length of stream repair projects implemented exceeds the minimum length thresholds shown below.

PROJECT ACTIVITY	COMMUNITY SIZE		
	SMALL	MEDIUM	LARGE
Stream cleanup/adoption	1000 feet	1 mile	5 miles
Stream repair projects	500 feet	2500 feet	10,000 feet

Extra credit: Add one extra credit point if your community has exceeded the stream repair length thresholds by a factor of two or more.

Suggested Documentation: Briefly list the type and length of stream cleanup and repair projects conducted in the last three years.

Score	Rationale and Corresponding Tab in Master Binder

29. Sophistication of stream repair practices (2 points):

Do you apply a variety of stream repair practices to improve stream habitat, structure and aquatic diversity?

Scoring Criteria: Award ½ point for each of the following practices that have been installed in the last three years. Maximum score: 2 points.

- | | |
|---|---|
| <input type="checkbox"/> Instream habitat enhancement
<input type="checkbox"/> Fish barrier removal
<input type="checkbox"/> De-channelization
<input type="checkbox"/> Natural channel design | <input type="checkbox"/> Reintroduction of native fish
<input type="checkbox"/> Baseflow channel creation
<input type="checkbox"/> Comprehensive stream restoration projects
<input type="checkbox"/> Other (please specify) _____ |
|---|---|

Suggested Documentation: Provide before and after photos of innovative stream repair projects.

Score	Rationale and Corresponding Tab in Master Binder

PROGRAM 7 URBAN STREAM REPAIR AND RESTORATION

30. Post-construction project evaluation and monitoring (1 point):

Have you conducted any post-construction monitoring to evaluate the effectiveness of the stream repair installations?

Scoring Criteria: Award one point if the answer to the question is YES.

Suggested Documentation: Provide copy of post-construction monitoring evaluation reports.

Score	Rationale and Corresponding Tab in Master Binder

TOTAL SCORE FOR PROGRAM 7: _____

PROGRAM 8 ILLICIT DISCHARGE DETECTION AND ELIMINATION

31. Possess discharge control authority (1 point):

Does your community possess adequate legal authority to prohibit non-stormwater discharges to the storm drain system, including access to private property to investigate and enforce compliance?

Scoring Criteria: Award one point if your community has adopted a local ordinance that explicitly defines and regulates illicit discharges into the storm drain and stream system.

Suggested Documentation: Provide copy of illicit discharge ordinance and briefly describe how the public is made aware of its provisions.

Score	Rationale and Corresponding Tab in Master Binder

32. Discharge mapping and screening (2 points):

Have you conducted desktop analysis to screen the potential risks of illicit and/or sewage discharges at the subwatershed level?

Scoring Criteria: Award one point if your community has an up-to-date map of stormwater and sanitary sewer systems. Award second point if a desktop analysis has been conducted to identify priority areas to investigate potential discharges in the field.

Suggested Documentation: Provide map showing priority areas for field investigations.

Score	Rationale and Corresponding Tab in Master Binder

PROGRAM 8 ILLICIT DISCHARGE DETECTION AND ELIMINATION

33. Outfall reconnaissance inventory (2 points):

Have you performed a field inventory of stormwater outfalls to look for potential or suspected illicit discharges?

Scoring Criteria: Award one point if at least 50% of stormwater outfalls in your community have been field screened in the last three years. Award a second point if all stormwater outfalls in your community have been screened in the field.

Suggested Documentation: Provide sample copy of outfall screening field forms.

Score	Rationale and Corresponding Tab in Master Binder

34. Pollution hotline and response (1 point):

Have you established and advertised a hotline to report spills, discharges and water quality problems?

Scoring Criteria: Award one point if answer to above question is YES.

Suggested Documentation: Provide the hotline number and describe how it is advertised to the public.

Score	Rationale and Corresponding Tab in Master Binder

35. Activity in eliminating discharges (2 points):

How quickly are illicit discharges and sewer overflows eliminated after they are discovered?

Scoring Criteria: Award one point if typical discharges are repaired within 60 days of discovery, including any needed repairs or enforcement actions. Award two points if discharges are enforced and corrected within 30 days of discovery.

Extra credit: Add extra credit point if discharges are corrected within 10 days of discovery.

Suggested Documentation: Provide excerpt from annual NPDES MS4 report or other documentation on progress made in detecting and eliminating illicit discharges.

Score	Rationale and Corresponding Tab in Master Binder

TOTAL SCORE FOR PROGRAM 8: _____

PROGRAM 9 MAINTENANCE, INSPECTION AND ENFORCEMENT

36. Inspect and maintain stormwater practices (2 points):

Does your community regularly inspect stormwater treatment practices to assess ongoing maintenance needs?

Scoring Criteria: Award one point if your community has inspected more than half of all existing stormwater practices within the last three years. Award a second point if your community has a maintenance budget to perform critical maintenance tasks or has otherwise exercised authority to compel maintenance on privately owned practices.

Suggested Documentation: Briefly describe the inspection and maintenance components of your local stormwater program, with an emphasis on maintenance performed at privately-owned stormwater practices.

Score	Rationale and Corresponding Tab in Master Binder

37. Inspect and maintain watershed restoration practices (2 points):

Do you regularly inspect the condition of all restoration projects after they are installed to ensure they meet project objectives?

Scoring Criteria: Award one point if a tracking system is in place to inspect, maintain and evaluate restoration projects constructed to date. Award a second point if your community has actually inspected and taken corrective action at existing restoration projects.

Suggested Documentation: Provide sample inspection and maintenance reports for a typical restoration practice.

Score	Rationale and Corresponding Tab in Master Binder

PROGRAM 9 MAINTENANCE, INSPECTION AND ENFORCEMENT

38. Water quality enforcement activity (1 point):

Do you actively enforce local ordinances that help protect local water quality?

Scoring Criteria: are based on the extent of local enforcement activity. Check the boxes for which you have actually undertaken enforcement action in the last year. Award one point if at least three boxes are checked.

- | | |
|--|---|
| <input type="checkbox"/> Erosion and sediment control violations | <input type="checkbox"/> Swimming pool discharges |
| <input type="checkbox"/> Illegal dumping | <input type="checkbox"/> Pet waste |
| <input type="checkbox"/> Illegal storm drain discharges | <input type="checkbox"/> Littering |
| <input type="checkbox"/> Clearing of stream buffers | <input type="checkbox"/> Other (please specify) _____ |

Extra credit: Add an extra credit point if more than three boxes are checked.

Suggested Documentation: Briefly describe the nature and extent of enforcement actions for each checked box.

Score	Rationale and Corresponding Tab in Master Binder

TOTAL SCORE FOR PROGRAM 9: _____

PROGRAM 10 PROMOTE SMART SITE PRACTICES DURING REDEVELOPMENT

39. Conduct audit of redevelopment codes and ordinances (1 point):

Has your community assessed its codes and ordinances to identify barriers to implementation of Smart Site practices during redevelopment?

Scoring Criteria: Award one point if answer to question is YES.

Suggested Documentation: Briefly describe the process you used to evaluate local codes and ordinances to promote Smart Site practices.

Score	Rationale and Corresponding Tab in Master Binder

PROGRAM 10 PROMOTE SMART SITE PRACTICES DURING REDEVELOPMENT

40. Adopt Smart Site practices to redevelopment projects (1 point):

Has your community actually revised or modified existing codes to promote Smart Site practices for infill and redevelopment projects in highly urban watersheds?

Scoring Criteria: Award one point if the answer to the question is YES.

Suggested Documentation: Indicate the specific changes made to redevelopment and infill codes to promote Smart Site Practices.

Score	Rationale and Corresponding Tab in Master Binder

41. Demonstrate in municipal construction projects (2 points):

Have Smart Site practices been incorporated in any municipal construction projects in your community in the last three years?

Scoring Criteria: projects may include innovative site design and stormwater practices applied to schools, community centers, libraries, road construction and other construction projects. Award up to two points based on the following community size thresholds:

- *Small Communities:* Award one point for each municipal construction project built that demonstrates innovative stormwater treatment and site design techniques
- *Medium Communities:* Award ½ point for each municipal construction project incorporating Smart Site practices built in the last three years
- *Large Communities:* Award ½ point for each municipal construction project incorporating Smart Site practices built in the past three years

Extra credit: Add one extra credit point if the number of municipal demonstration projects exceeds the indicated thresholds.

Suggested Documentation: Provide a summary list of municipal construction projects that have incorporated Smart Site practices, and provide photos if possible.

Score	Rationale and Corresponding Tab in Master Binder

PROGRAM 10 PROMOTE SMART SITE PRACTICES DURING REDEVELOPMENT

42. Financial incentives for the private sector (1 point):

Does your community provide financial incentives to the private sector to encourage Smart Site Practices during redevelopment? (e.g., financial and technical assistance, streamlined plan review, tax credits)

Scoring Criteria: Award one point if the answer to the question is YES.

Suggested Documentation: Briefly describe the nature and effectiveness of the private sector incentives offered.

Score	Rationale and Corresponding Tab in Master Binder

TOTAL SCORE FOR PROGRAM 10: _____

PROGRAM 11 WATERSHED EDUCATION AND PERSONAL STEWARDSHIP

43. Watershed education and outreach activity (3 points):

Does your community have a watershed outreach and education program?

Scoring Criteria: are based on scope and sophistication of local programs, based on the following: Check each of the following boxes that apply to your watershed education and outreach program.

- Has a full-time watershed outreach coordinator
- Focuses on pollutants of concern (as defined in local restoration goals)
- Presents clear and simple education messages
- Advertises message through newspapers, radio or television
- Has annual budget of more than \$50,000 for outreach materials
- Conducts surveys to determine key watershed behaviors
- Targets specific pollution sources and outreach populations
- Produces local stormwater and watershed education materials
- Other (please specify) _____

Award ½ point for each box checked, up to a maximum of three points.

Extra credit: Add extra credit point if more than six boxes are checked.

Suggested Documentation: Provide typical examples of education and outreach materials produced and distributed by your program.

Score	Rationale and Corresponding Tab in Master Binder

PROGRAM 11 WATERSHED EDUCATION AND PERSONAL STEWARDSHIP

44. Diversity of watershed education programs (4 points):

Do your watershed education efforts include diverse opportunities for involvement among many sectors of the public?

Scoring Criteria: Award ½ point for any of the following that apply to your education and outreach program, up to a maximum of 4 points.

- | | |
|---|--|
| <input type="checkbox"/> Kids and schools (e.g., art contests, schoolyard habitat projects) | <input type="checkbox"/> Storm drain marking |
| <input type="checkbox"/> Adopt a stream programs | <input type="checkbox"/> Watershed fair/cleanup activity day |
| <input type="checkbox"/> Watershed website | <input type="checkbox"/> Community tree-planting projects |
| <input type="checkbox"/> Community directory of watershed services | <input type="checkbox"/> Downspout disconnection kits |
| <input type="checkbox"/> Distribution of brochures and fact sheets | <input type="checkbox"/> Citizen monitoring |
| <input type="checkbox"/> Watershed maps or posters | <input type="checkbox"/> Other (please specify) _____ |

Suggested Documentation: Provide examples of each watershed education program checked.

Score	Rationale and Corresponding Tab in Master Binder

45. Convenient access to municipal stewardship services (2 points):

Does your community provide convenient access to direct services that enable residents to become good watershed stewards?

Scoring Criteria: Award ½ point for each municipal stewardship service offered by your community, up to maximum of two points.

- | | |
|---|---|
| <input type="checkbox"/> Household hazardous waste collection | <input type="checkbox"/> Technical assistance for stormwater pond maintenance |
| <input type="checkbox"/> Yard waste collection | <input type="checkbox"/> Homeowner retrofits such as rain gardens and rooftop disconnection |
| <input type="checkbox"/> Lawn soil testing | <input type="checkbox"/> Free/discounted compost, seedlings, rain barrels, or compost bins |
| <input type="checkbox"/> Natural lawn care consultation | <input type="checkbox"/> Used oil collection |
| <input type="checkbox"/> Septic system inspections | <input type="checkbox"/> Other (please specify) _____ |
| <input type="checkbox"/> Pet waste collection stations | |

Suggested Documentation: Briefly summarize how each checked municipal service is advertised to the public.

Score	Rationale and Corresponding Tab in Master Binder

TOTAL SCORE FOR PROGRAM 11: _____

PROGRAM 12 PUBLIC INVOLVEMENT AND NEIGHBORHOOD CONSULTATION

46. Stakeholder involvement in restoration planning (2 points):

Does your small watershed restoration program involve stakeholders in restoration plan development and implementation?

Scoring Criteria: Award ½ point for each of the following boxes checked, up to a maximum of two points:

- At least three outreach methods are used to recruit stakeholders
- Stakeholders participate in restoration goal setting process
- Stakeholders are drawn from diverse constituencies
- At least two stakeholder meetings are conducted during each plan
- A current stakeholder management database is maintained
- Stakeholders receive at least two communications per year
- Several opportunities are provided for stakeholders to comment on restoration plans

Extra Credit: Award an additional point if more than four stakeholder management elements are checked above.

Suggested Documentation: Provide list of the names and affiliations of stakeholders involved in your most recent restoration plan.

Score	Rationale and Corresponding Tab in Master Binder

47. Neighborhood consultation about restoration projects (2 points):

Are adjacent residents and landowners routinely consulted about major restoration projects to solicit their feedback?

Scoring Criteria: Award one point for each of the following boxes that apply, up to a maximum of 2 points.

- Adjacent residents are consulted in advance about major restoration projects
- At least two outreach methods are used to notify them about projects
- Meetings are scheduled at convenient times for residents to attend
- Agency is willing to modify or drop projects based on resident concerns

Suggested documentation: Provide a typical agenda for a neighborhood consultation meeting.

Score	Rationale and Corresponding Tab in Master Binder

PROGRAM 12 PUBLIC INVOLVEMENT AND NEIGHBORHOOD CONSULTATION

48. Public access to restoration information (1 point):

Does your community make watershed plans and mapping products available to the public through web-based tools?

Scoring Criteria: Award ½ point if basic restoration documents/maps are made available upon request to the public free of charge. Award additional ½ point if restoration information and maps are provided on interactive websites.

Suggested Documentation: Provide sample copies of restoration documents and indicate website address.

Score	Rationale and Corresponding Tab in Master Binder

TOTAL SCORE FOR PROGRAM 12: _____

PROGRAM 13 POLLUTION PREVENTION AT STORMWATER HOTSPOTS

49. Identify and map stormwater hotspots (1 point):

Have you developed a list or map of potential hotspot operations to aid in tracking and inspecting these sites?

Scoring Criteria: Award one point if the answer to the question is YES.

Suggested Documentation: Provide a map or list of hotspot operations in your community.

Score	Rationale and Corresponding Tab in Master Binder

50. Target businesses for education and outreach (2 points):

Does your community target specific local businesses to educate them on stormwater impacts and basic pollution prevention practices?

Scoring Criteria: Award one point for each of the following boxes that apply in your community (maximum two points):

- Specific hotspot operations are targeted that produce water quality problems
- Educational materials are distributed to business target groups
- Training classes are provided for businesses on pollution prevention practices
- On-site audits or other technical assistance are provided to business owners

Extra Credit: Award an extra credit point if more than two boxes are checked above.

Suggested Documentation: Provide list of hotspot operations that are targeted in your community and attach examples of outreach and educational materials distributed to them.

Score	Rationale and Corresponding Tab in Master Binder

PROGRAM 13 POLLUTION PREVENTION AT STORMWATER HOTSPOTS

51. Business recognition and partnerships (1 point):
Does your community recognize businesses that employ good pollution prevention and stewardship practices?

Scoring Criteria: Award one point if the answer to the question is YES.

Suggested Documentation: Describe the nature of your business recognition program and the type of business partners that are recognized.

Score	Rationale and Corresponding Tab in Master Binder

TOTAL SCORE FOR PROGRAM 13: _____

PROGRAM 14 POLLUTION PREVENTION AT MUNICIPAL OPERATIONS

52. Municipal pollution prevention operations (2 points):
Does your community have current pollution prevention plans for its own municipal facilities and operations?

Scoring Criteria: Check all municipal operations in your community that have current stormwater pollution prevention plans:

- Public works yard
- Landfills
- Wastewater treatment plants
- Recycling/solid waste transfer stations
- Maintenance depots
- School bus and fleet storage areas
- Public golf courses
- Road maintenance yard
- Marinas or ports
- Airports
- Other operations (please specify)

Award one point if at least three operations are checked. Award a second point if six or more municipal operations are checked.

Suggested Documentation: Provide a sample pollution prevention plan for at least two municipal operations checked above. Certify that an on-site inspection has occurred in the last year to verify plans are being implemented.

Score	Rationale and Corresponding Tab in Master Binder

PROGRAM 14 POLLUTION PREVENTION AT MUNICIPAL OPERATIONS

53. Municipal road and storm drainage system maintenance (2 points):

Does your community maximize pollutant reduction and/or prevention during its routine road and storm drain maintenance operations?

Scoring Criteria: Check any of the following maintenance operations that are performed to improve water quality in your community:

- Street sweeping
- Catch basin cleanouts
- Reduced road salting/sanding and de-icing chemicals
- Integrated pest management in road right-of-way
- Pollution prevention during routine road maintenance operations
- Other (please specify)

Award ½ point for each box checked above for a maximum of two points.

Extra Credit: Award additional point if more than four boxes are checked above.

Suggested Documentation: Briefly justify how each checked maintenance operation has been modified to improve water quality.

Score	Rationale and Corresponding Tab in Master Binder

54. Ongoing employee training (1 point):

Does your community offer routine pollution prevention training to all appropriate municipal staff?

Scoring Criteria: Award one point if your answer to the question is YES.

Suggested Documentation: Generally describe the nature of employee training programs and estimate the number of employees receiving training in the past year.

Score	Rationale and Corresponding Tab in Master Binder

PROGRAM 14 POLLUTION PREVENTION AT MUNICIPAL OPERATIONS

55. Emergency spill and discharge response (1 point):

Does your community have the capability to rapidly respond to contain spills that occur during transport and industrial accidents?

Scoring Criteria. Award one point if emergency responders in your community have tested or employed spill response and containment procedures for highway or other spills into the storm drain system.

Suggested Documentation: Indicate which agencies or emergency responders are responsible for emergency spill response planning and when the last time the plan was tested or used.

Score	Rationale and Corresponding Tab in Master Binder

56. Environmental Management System (1 point):

Does your community have an Environmental Management System (EMS) or other institutional policy governing environmental performance of municipal operations and practices?

Scoring Criteria: Award one point if answer to the question is YES.

Suggested Documentation: Provide a copy of your community’s environmental performance policy.

Score	Rationale and Corresponding Tab in Master Binder

TOTAL SCORE FOR PROGRAM 14: _____

CONGRATULATIONS!

You have reached the end of the Smart Watershed benchmarking tool.

Enter your scores on the scorecard provided in Table 5 to assess your progress.

REFERENCES

- Brown, E. and S. Hoyt. 2004. *Stormwater Pond and Wetland Maintenance Guidebook*. Center for Watershed Protection. Ellicott City, MD.
- Brown, E., D. Caraco and R. Pitt. 2004. *Illicit Discharge Detection and Elimination: A Guidance Manual for Program Development and Technical Assessments*. U.S. Environmental Protection Agency. Office of Wastewater Management. Center for Watershed Protection. Ellicott City, MD.
- Burton, A and R. Pitt. 2001. *Stormwater Effects Handbook: A Toolbox for Watershed Managers, Scientists and Engineers*. Lewis Publishers. Boca Raton, FL.
- Cappiella, K., T. Schueler and T. Wright. 2005a. *Urban Watershed Forestry Manual Part 1: Methods for Increasing Forest Cover in a Watershed*. USDA Forest Service, Newtown Square, PA.
- Cappiella, K., T. Schueler and T. Wright. 2005b. *Urban Watershed Forestry Manual Part 2: Conserving and Planting Trees at Development Sites*. USDA Forest Service, Newtown Square, PA.
- Cappiella, K., T. Schueler, J. Tomlinson and T. Wright. 2006. *Urban Watershed Forestry Manual Part 3: Urban Tree Planting Guide*. USDA Forest Service, Newtown Square, PA.
- Center for Watershed Protection. 1998. *Rapid Watershed Planning Handbook: A Comprehensive Guide for Managing Urbanizing Watersheds*. U.S. Environmental Protection Agency. Center for Watershed Protection. Ellicott City, MD.
- Center for Watershed Protection. 2001. *Redevelopment Roundtable Consensus Agreement: Smart Site Practices for Redevelopment and Infill Projects*. Center for Watershed Protection. Ellicott City, MD.
- Center for Watershed Protection. 2003. *Integrating Local Programs to Achieve Measurable Progress in Urban Watershed Restoration*. Center for Watershed Protection. Ellicott City, MD.
- Federal Interagency Stream Restoration Working Group (FISRWG). 1998. *Stream Corridor Restoration: Principles, Processes, and Practices*. Federal Interagency Stream Restoration Working Group. GPO Item No. 0120-A. Washington, D.C.
- Kitchell, A. and T. Schueler. 2004. *Unified Stream Assessment: A User's Manual*. Manual 10 in the Urban Subwatershed Restoration Manual Series. Center for Watershed Protection. Ellicott City, MD.
- MacPherson, C. and B. Topping. 2003a. *Getting in step: a guide for conducting watershed outreach campaigns*. Tetra Tech, Inc. EPA 841-B-03-002. U.S. EPA Office of Wetlands, Oceans and Watersheds. Washington, D.C.

MacPherson, C. and B. Topping. 2003b. *Getting in step: engaging and involving stakeholders in your watershed*. Tetra Tech, Inc. EPA 841-B-04-003. U.S. EPA Office of Wetlands, Oceans and Watersheds. Washington, D.C.

Schueler, T. 2004. *An Integrated Framework to Restore Small Urban Watersheds*. Manual 1 in the Urban Subwatershed Restoration Manual Series. Center for Watershed Protection. Ellicott City, MD.

Schueler, T. and H. Holland, eds. 2000. *The Practice of Watershed Protection*. Center for Watershed Protection. Ellicott City, MD.

Schueler, T., C. Swann, T. Wright, and S. Sprinkle. 2004. *Pollution Source Control Practices*. Manual 8 in the Urban Subwatershed Restoration Manual Series. Center for Watershed Protection. Ellicott City, MD.

Schueler, T. and K. Brown. 2004. *Urban Stream Repair Practices*. Manual 4 in the Urban Subwatershed Restoration Manual Series. Center for Watershed Protection. Ellicott City, MD.

Schueler, T. and A. Kitchell. 2005. *Methods to Develop Restoration Plans for Small Watersheds*. Manual 2 in the Urban Subwatershed Restoration Manual Series. Center for Watershed Protection. Ellicott City, MD.

U.S. Environmental Protection Agency. 1998. *Proceedings from National Conference on Retrofit Opportunities for Water Resource Protection in Urban Environments*. EPA/625/R-99/002. U.S. EPA Office of Research and Development. Washington, DC.

U.S. Environmental Protection Agency/Natural Resource Conservation Service. 1998. *Stream Corridor Restoration Manual- Principles, Processes, and Practices*. The Federal Interagency Stream Restoration Working Group.

U.S. Environmental Protection Agency. 1999. *Report to Congress on the Phase II Storm Water Regulations*. EPA/833/R-99/001. U.S. EPA Office of Water. Available online at: http://www.epa.gov/npdes/pubs/ReptoCong_PhII_SWR.pdf

U.S. Environmental Protection Agency. 2000. *Report to Congress on the Phase I Storm Water Regulations*. EPA/833/R-00/001. U.S. EPA Office of Water. Available online at: http://cfpub.epa.gov/npdes/pkeyword.cfm?keywords=Phase+I+Stormwater&program_id=0

U.S. Environmental Protection Agency. 2004. "Fact Sheet - Effluent Guidelines for Construction and Development." U.S. EPA Office of Water. Available online at <http://www.epa.gov/waterscience/guide/construction/final-action-fs.htm>

Wright, T., C. Swann, K. Cappiella, and T. Schueler. 2004. *Unified Subwatershed and Site Reconnaissance: A User's Manual*. Manual 11 in the Urban Subwatershed Restoration Series. Center for Watershed Protection. Ellicott City, MD.

GLOSSARY

Aquatic indicators: Biological, chemical, physical, and community indicators used to measure biotic or abiotic attributes that can provide quantitative information on ecological condition, structure and function.

Discharge control authority: legal authority of a community to prohibit non-stormwater discharges to the storm drain system, including authority to investigate and enforce compliance (under MS4 stormwater permitting).

Environmental Management System: An EMS is a set of management processes and procedures that allows an organization to analyze and reduce the environmental impact of its activities. First adopted by private industry, the EMS approach is increasingly common in the public sector. For example, it can be used to help design, operate and maintain municipal wastewater treatment facilities.

Illicit discharge: Any discharge to a municipal separate storm sewer system that is not composed entirely of storm water, except for discharges allowed under an NPDES permit or waters used for certain emergency situations. Includes dry weather flows.

MS4: A municipal separate storm sewer system consisting of a conveyance or system of conveyances designed or used for collecting or conveying stormwater (roads with drainage systems, municipal streets, catch basins, curbs, gutters, ditches, man-made channels, storm drains). Stormwater discharges associated with MS4s are regulated through the use of National Pollutant Discharge Elimination System (NPDES) permits.

Municipal stewardship services: Community provided direct services that can improve stewardship by residents and businesses. Examples include: household hazardous waste collection, yard waste collection, lawn soil testing, natural lawn care consultation, septic system inspections, pet waste collection stations, technical assistance for stormwater pond maintenance, free/discounted compost, seedlings, rain barrels, or compost bins, and used oil collection.

Natural area remnants: Small parcels or fragments of forest, wetland, parks, stream corridors and open space in a subwatershed that could be expanded, restored or linked to other remnants to improve ecological structure and function of remaining natural areas, improve groundwater infiltration and restore habitat to a subwatershed.

Needs and Capabilities Assessment (NCA): a checklist of 47 questions that helps a restoration team understand its strengths and weaknesses, and identifies programs and resources to build an effective watershed restoration program.

NPDES: As authorized by the Clean Water Act, the National Pollutant Discharge Elimination System permit program was established to improve the quality of the nation's streams, rivers, lakes, and estuaries by regulating point sources that discharge pollutants into waters of the United States and includes managing stormwater runoff from urban and suburban areas, construction projects, and industrial sites. Point sources are discrete conveyances such as pipes or man-made ditches and include municipal separate storm sewer systems (MS4s). NPDES Phase I, promulgated by EPA in 1990, covered medium and large municipalities (i.e., populations over 100,000), construction sites over 5 acres in size, and 10 categories of industrial activity. The Phase II program became law in 1999 and covers smaller municipalities, urban areas adjacent to some municipalities, and construction sites over 1 acre.

New development: New development activities on previously undeveloped land.

Outfall reconnaissance inventory: A field inventory to screen problem outfalls to find suspected illicit discharges.

Pollutants of concern: Pollutants that have been identified in TMDLs, and/or local watershed monitoring assessments to be causing impairments to local water quality and aquatic life. Watershed and subwatershed planning and implementation efforts should be tailored to specifically address these pollutants.

Pollution prevention: Pollution source reduction practices that reduce or eliminate pollutants in stormwater runoff through prevention practices such as stormwater management and better housekeeping, improved materials storage, and covered fueling operations that municipalities, institutions and commercial operations can apply to their activities.

Redevelopment: New development activities on previously developed land. The process by which an existing developed area is adaptively reused, rehabilitated, restored, renovated and/or expanded.

Regulatory Drivers: Federal regulations, mandates, and strategies designed to improve water quality. These include Total Maximum Daily Loads (TMDLs), National Pollutant Discharge Elimination System (NPDES) stormwater permits, Combined Sewer Overflow (CSO) and Sanitary Sewer Overflow (SSO) control practices, brownfields, and others.

Retrofits (stormwater retrofits): A stormwater management practice (usually structural) put into place after development has occurred, to improve water quality, protect downstream channels, reduce flooding, or meet other watershed restoration objectives. The installation of a new stormwater practice or the improvement of an existing one in a previously developed area.

Small Watershed: Refers to subwatersheds as defined below.

Smart Site practices: Site design parameters that are encouraged in urban restoration, redevelopment and infill projects that use innovative measures to reduce impervious surfaces, improve the site function in terms of water quality, and promote integrated urban design to improve site runoff.

Stakeholder: Defined as any agency, organization or individual involved in or affected by the decisions made in a subwatershed restoration plan. The four broad groups of stakeholders include agencies, the public, watershed partners, and potential funders.

Storage retrofit: Stormwater management practice that detains water for a period of time and provides for the gradual release of a volume of water in order to increase settling of pollutants and protect downstream channels from frequent storm events. Good examples are stormwater ponds and wetlands with extended detention time.

Stormwater hotspots: Commercial, industrial, institutional, municipal, or transport-related operations that produce higher levels of stormwater pollutants, and/or present a higher potential risk for spills, leaks or illicit discharges.

Stormwater retrofit inventory: A subwatershed-wide examination of areas where stormwater management practices can be implemented in previously developed areas to better regulate stormwater flow and create a more predictable hydrologic regime, and improve water quality. Retrofits are broken into three major categories - offsite storage, onsite nonresidential, and onsite residential.

Stream corridor: The active stream channel and its adjacent riparian area that has a direct effect on water quality, physical habitat and biological integrity.

Stream repair: Activities undertaken to address damage to stream channels typically stemming from uncontrolled runoff and other stream channel alterations resulting from development activities in a subwatershed.

Subwatershed: A smaller geographic area of a larger watershed unit with a drainage area of between 2 to 10 square miles with boundaries to include all the land area draining to a common point. Subwatersheds are the primary unit for the analysis, design and implementation of stream repair and other restoration practices and provide a more manageable scale at which to educate residents and foster direct citizen involvement to improve their local neighborhood streams.

Subwatershed restoration: Subwatershed-wide activities conducted as part of a comprehensive plan that includes multi-faceted stream corridor and upland watershed practices to meet subwatershed restoration objectives chosen by the community.

Urban runoff: All surface discharges from an urban area, including stormwater flows, illicit discharges and dry weather flows.

Watershed: All the land area that contributes runoff to a particular water body, composed of multiple order stream systems and the subwatersheds draining to these streams and the larger tributary, water body or river system.

APPENDIX A

SMART WATERSHED PROGRAM BUDGET WORKSHEET

Providing adequate financing for the 14 Smart Watershed programs is perhaps the area where most communities face their greatest challenge. The budget worksheet provides a tool for computing individual program and overall commu-

nity budgets for Smart Watersheds. In general, the worksheet should be filled out for the most recent fiscal year. Alternatively, you can provide the average for the three most recent fiscal years.

Smart Watershed Program	Operating Budget For Most Recent Fiscal Year	Capital Improvement Program (CIP) Budget For Most Recent Fiscal Year	Other Funding Sources (Grants, Donated Services, Etc.)	Annual Program Totals
Program 1				Program 1 Total:
Subwatershed Restoration Planning	\$	\$	\$	\$
	# staff (FTE) and Funding Source:	Funding Source:	Funding Source:	Percent of 14 Program Total:
Budget items include funding for watershed planning studies, staff costs for a watershed coordinator and/or planners, proportion of overall GIS budget allocated to watershed programs.				
Program 2				Program 2 Total:
Stream and Subwatershed Field Assessment	\$	\$	\$	\$
	# staff (FTE) and Funding Source:	Funding Source:	Funding Source:	Percent of 14 Program Total:
Budget items include funding for field staff, consultant studies for watershed assessments, field equipment.				

Smart Watershed Program	Operating Budget For Most Recent Fiscal Year	Capital Improvement Program (CIP) Budget For Most Recent Fiscal Year	Other Funding Sources (Grants, Donated Services, Etc.)	Annual Program Totals
Program 3 Subwatershed Monitoring and Reporting				Program 3 Total:
	\$	\$	\$	\$
	# staff (FTE) and Funding Source:	Funding Source:	Funding Source:	Percent of 14 Program Total:
Budget items include monitoring staff and/or seasonal consultants/interns, monitoring equipment including any permanent recording equipment or gages, lab costs, etc.				
Program 4 Financing Watershed Restoration				Program 4 Total:
	\$	\$	\$	\$
	# staff (FTE) and Funding Source:	Funding Source:	Funding Source:	Percent of 14 Program Total:
Budget items include administrative costs associated with managing restoration programs and procuring funds/grants, etc.				
Program 5 Management of Natural Area Remnants				Program 5 Total:
	\$	\$	\$	\$
	# staff (FTE) and Funding Source:	Funding Source:	Funding Source:	Percent of 14 Program Total:
Budget items include staff costs for an urban forester, project costs for reforestation planting, wetland restoration, etc. Activities conducted by watershed partners and community groups should be included.				
Program 6 Stormwater Retrofitting				Program 6 Total:
	\$	\$	\$	\$
	# staff (FTE) and Funding Source:	Funding Source:	Funding Source:	Percent of 14 Program Total:
Budget items include engineering staff and/or consultants for stormwater retrofit inventories and project design, and retrofit construction costs.				

Smart Watershed Program	Operating Budget For Most Recent Fiscal Year	Capital Improvement Program (CIP) Budget For Most Recent Fiscal Year	Other Funding Sources (Grants, Donated Services, Etc.)	Annual Program Totals
Program 7 Urban Stream Repair and Restoration	\$	\$	\$	Program 7 Total: \$
	# staff (FTE) and Funding Source:	Funding Source:	Funding Source:	Percent of 14 Program Total:
	Budget items include engineering staff and/or consultants for field assessments, design and construction specifically related to stream repair practices.			
Program 8 Illicit Discharge Detection and Elimination	\$	\$	\$	Program 8 Total: \$
	# staff (FTE) and Funding Source:	Funding Source:	Funding Source:	Percent of 14 Program Total:
	Budget items include inspection and enforcement staff, response equipment, hotline administration, maintenance activities specific to pollution prevention such as periodic videoing of lines, and costs to repair/upgrade aging lines.			
Program 9 Maintain, Inspect and Enforce Watershed Practices	\$	\$	\$	Program 9 Total: \$
	# staff (FTE) and Funding Source:	Funding Source:	Funding Source:	Percent of 14 Program Total:
	Budget items include municipal staff and/or contractors for stormwater pond inspection and maintenance program, post-construction inspection of restoration practices, annual maintenance budget to address problems identified during inspections, and sediment control inspectors.			

Smart Watershed Program	Operating Budget For Most Recent Fiscal Year	Capital Improvement Program (CIP) Budget For Most Recent Fiscal Year	Other Funding Sources (Grants, Donated Services, Etc.)	Annual Program Totals
Program 10 Promote Smart Site Practices During Redevelopment	\$	\$	\$	Program 10 Total:
	# staff (FTE) and Funding Source:	Funding Source:	Funding Source:	Percent of 14 Program Total:
	Budget items include staff costs to administer a Smart Site program, financial incentives such as cost-share programs or tax credits as incentives to the building community , and construction costs for water quality components of municipal demo projects.			
Program 11 Watershed Education and Personal Stewardship	\$	\$	\$	Program 11 Total:
	# staff (FTE) and Funding Source:	Funding Source:	Funding Source:	Percent of 14 Program Total:
	Budget items include staff costs for a watershed educator, costs to produce and deliver educational materials, and the operating costs for municipal services directly related to watershed stewardship such as household hazardous materials collection, grass/lawn trim collection, etc.			
Program 12 Public Involvement and Neighborhood Consultation	\$	\$	\$	Program 12 Total:
	# staff (FTE) and Funding Source:	Funding Source:	Funding Source:	Percent of 14 Program Total:
	Budget items include specific outreach and website costs for advertising watershed restoration activities, and staff or consultant costs to manage stakeholder facilitation activities.			

Smart Watershed Program	Operating Budget For Most Recent Fiscal Year	Capital Improvement Program (CIP) Budget For Most Recent Fiscal Year	Other Funding Sources (Grants, Donated Services, Etc.)	Annual Program Totals
Program 13 Pollution Prevention at Stormwater Hotspots	\$	\$	\$	Program 13 Total: \$
	# staff (FTE) and Funding Source:	Funding Source:	Funding Source:	Percent of 14 Program Total:
	Budget items include costs for education materials targeted to pollution hotspots such as automotive service stations, dry-cleaners, and costs for business recognition and incentive programs.			
Program 14 Pollution Prevention at Municipal Operations	\$	\$	\$	Program Total: \$
	# staff (FTE) and Funding Source:	Funding Source:	Funding Source:	Percent of 14 Program Total:
	Budget items include staff costs for a pollution prevention coordinator, development and administration of P2 plans for municipal operations, spill response training and response kits, street-sweeping operations, storm drain clean-out, and construction costs for municipal operation upgrades specifically targeted to water quality improvements.			
Budget Category Totals	Operating: \$	CIP: \$	Other: \$	Total Annual Budget \$
Current Population:				Per Capita Budget: \$
<p><i>Notes:</i></p> <p>Personnel costs should be reported based on full time equivalent (FTE) units for a forty-hour week (e.g. if a staff person spends one-third of their time on watershed coordination, then show .3 FTE times a salary). If one staff person is responsible for a number of program elements, then estimate the proportion of time to be applied to the various program areas.</p>				

APPENDIX B

EXCERPTS FROM THE CONSENSUS DOCUMENT OF THE NATIONAL REDEVELOPMENT ROUNDTABLE

What Is the Redevelopment Roundtable?

The Redevelopment Roundtable represents a one-of-a-kind effort to engage a diverse spectrum of national and local stakeholders in a consensus process to address site level redevelopment and infill issues. The Roundtable was created to assure local communities that stakeholders in the redevelopment arena can agree on specific practices and programs that can help protect our existing natural resources and help build better communities. The Redevelopment Roundtable reached consensus on the 11 Smart Site Practices for Redevelopment and Infill.

What Are the 11 Smart Site Practices?

The term “Smart Site Practices” refers to site planning practices that can be used to mitigate watershed impacts in highly urban watersheds. Designed primarily with the developer in mind, the smart site practices represent the best techniques for protecting water quality and habitat in the highly constrained setting of urban infill and redevelopment. These practices are intended to complement municipal actions under the Smart Watersheds plan.

What Type of Redevelopment and Infill Projects Do Smart Site Practices Address?

The Redevelopment Roundtable recognizes that a vast array of redevelopment and infill projects exist. For the purposes of this project, redevelopment is defined as the process by which an existing developed area is adaptively reused, rehabilitated, restored, renovated and/or expanded. Infill, on the other hand, is development that occurs on smaller

parcels that remain undeveloped but are within or very close to existing urban areas. In both cases, the development relies on existing infrastructure, and does not require an extension of water, sewer or other public utilities. In addition, the project must be located in a highly developed watershed, encouraged by the public sector, and water quality limited or biologically impaired. Example of redevelopment and infill projects are listed in the table below.

Various Types of Redevelopment and Infill Projects

- Historic preservation
- Waterfront development
- Brownfields
- Residential infill
- Adaptive reuse
- Downtown business district
- Multifamily
- Suburban commercial
- Mixed use development
- Roadway expansion

How Can the Smart Site Practices Be Applied?

While the Smart Site Practices were developed primarily as a tool for designers, they can be used by developers, local government officials, planners, and environmentalists alike. For example, developers who are concerned about larger community environmental issues can refer to the Smart Site Practices for guidance on how their projects might be better designed to address watershed impacts. Local governments can utilize the Smart Site Practices to develop better criteria on which to gauge the potential impact of a development site. Lastly, communities can utilize the Smart Site Practices

to gain insights on redevelopment and infill from a watershed protection perspective.

The Smart Site Practices

Practice #1: Redevelopment and infill planning should include environmental site assessments that protect existing natural resources and identify opportunities for restoration where feasible.

Rationale: Requirements under existing brown-fields and Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) legislation, as well as bank purchase and loan requirements, help to mitigate the impact of some pollution sites by requiring basic site history investigation and surface soil and water testing and cleanup. A more thorough environmental site assessment, which includes the production of a base map that outlines existing buildings, transportation networks, utilities, floodplains, wetlands, streams, and other natural features, can help address existing environmental constraints and highlight opportunities for restoration and reclamation at a site.

Practice #2: Sites should be designed to utilize impervious cover efficiently and to minimize stormwater runoff. Where possible, the amount of impervious cover should be reduced or kept the same. In situations where impervious cover does increase, sites should be designed to improve the quality of stormwater runoff at the site or in the local watershed.

Rationale: The amount of impervious cover is known to have a direct impact on annual runoff volume, and consequently affects annual pollutant loads, flooding frequency, stream channel degradation, and a host of other impacts. Some of these impacts can be mitigated by making efficient use of the existing impervious cover and reducing or keeping it the same when possible. Managing stormwater runoff can also help to reduce these impacts.

Practice #3: Plan and design sites to preserve naturally vegetated areas and to encourage revegetation, soil restoration and the utilization of native or non-invasive plants where feasible.

Rationale: Remaining natural areas have particular value in the urban environment, but are also strongly influenced by adjacent uses. Often found in small fragments, these areas can also suffer from poor quality soils, invasive plant species, dumping and extensive alteration by past development. Collecting and mapping natural features, working toward preserving these areas in a consolidated manner, and evaluating the site for potential stormwater management, revegetation, and passive recreational benefits can provide environmental, economic and aesthetic benefits.

Practice #4: Establish mechanisms to guarantee long term management and maintenance of all vegetated areas.

Rationale: Guaranteed long-term management, financing and maintenance plans can assure continuous enjoyment and function of vegetated areas over the long run. Innovative partnerships, conservation easements, or donations to land trusts can help land owners ensure that intensively used vegetated areas on urban lands are actively kept up.

Practice #5: Manage rooftop runoff through storage, reuse, and/or redirection to pervious surfaces for stormwater management and other environmental benefits.

Rationale: Reducing the runoff generated from urban rooftops can reduce pollutant loads, flooding, channel erosion, and many other stream impacts. In addition, many rooftop runoff management practices can help conserve water and improve aesthetics. Examples of rooftop runoff management techniques include green rooftops, rooftop gardens, rain barrels and downspout disconnection. The design, slope and architecture of rooftops can reduce the volume of rooftop runoff as well.

Practice #6: Parking lots, especially surface lots, should be minimized and designed to reduce, store and treat stormwater runoff. Where site limitations or other constraints prevent full management of parking lot runoff, designers should target high use areas first.

Rationale: While adequate parking is often considered a critical ingredient to the success of most infill and redevelopment projects, parking lots are often one of the greatest sources of stormwater runoff. In addition, many older parking lots that are being redeveloped were designed with little regard to landscaping, actual parking demand, or effective stormwater treatment. Some of the techniques that can be utilized for managing parking lot runoff include making parking lots incrementally smaller, providing more functional landscaping, and where possible, treating the quality of stormwater runoff.

Practice #7: Utilize a combination of Better Site Design techniques with infill projects to minimize stormwater runoff and maximize vegetated areas.

Rationale: Many single lot or small multi-lot infill projects contribute to “impervious creep,” which is defined as the increase in impervious cover seen over time in highly developed areas. On-site improvements, such as house additions, expanded driveways, new housing, and sidewalks all contribute to impervious creep. Typically, there are few or no requirements to manage stormwater runoff or preserve or restore natural features associated with these small and incremental projects. Better Site Design refers to a design approach that seeks to reduce the amount of impervious cover associated with development, increase the natural lands set aside for conservation, use pervious areas for more effective stormwater treatment, and achieve a marketable, cost-effective product. Better Site Design consists of a series of benchmarks that fall under three categories: parking lot and street design, lot development, and natural areas conservation. Many of these benchmarks are applicable

to infill development that can be described as: 1) single lot or small multi-lot infill (up to 3 lots) and 2) larger infill subdivisions (10 to 30 lots). While infill development occurs on smaller lot sizes (10,000 square feet or less), it is often still possible to effectively cluster lots to provide more open space and reduce impervious cover.

Practice #8: Utilize proper storage, handling and site design techniques to avoid the contact of pollutants with stormwater runoff.

Rationale: Opportunities exist to improve water quality by preventing contact of rainfall with pollutant sources stored or handled at the site of redevelopment and infill projects. Controlling pollutants at the site (source control) is usually the simplest and most cost-effective way to reduce stormwater pollution at many commercial sites. Source control measures include: 1) proper handling and storage of pollutants and 2) site design practices. Handling and storage practices focus on the storage of materials and vehicles in outdoor areas, while site design practices include designing better loading docks, covering materials stored outdoors, and containing dumpsters and fueling areas. Other source control opportunities exist at fleet parking areas, outdoor maintenance areas, landscaping areas and above ground storage tanks.

Practice #9: Design the streetscape to minimize, capture and reuse stormwater runoff. Where possible, provide planting spaces to promote the growth of healthy street trees while capturing and treating stormwater runoff. In arid climates, xeriscapes should be used to achieve similar benefits.

Rationale: With proper design and consideration, the interface between the street, sidewalk and other structures, known as the streetscape, can provide opportunities to manage stormwater runoff while providing many other environmental and aesthetic benefits. For example, streets can be made more narrow, and landscaped areas and/or

trees can be incorporated into the street front and created so that they function to treat stormwater runoff. In addition, when tree pits are provided along with adequate soil and rooting space, street trees can provide additional stormwater capture and other numerous environmental benefits. Alternatively, xeriscaping (the practice of landscaping to conserve water) can be an important tool in more arid climates.

Practice #10: Design courtyards, plazas, and amenity open space to store, filter or treat rainfall.

Rationale: Much of the open space found in redevelopment and infill projects consists of hard surfaces that are impervious to rainfall. Using creative site plans, these courtyards, plazas, and other hard open spaces can be designed to store, filter and treat rainfall. Examples include the use of alternative pavers, bioretention areas, and planting boxes.

Practice #11: Design sites to maximize transportation choices in order to reduce pollution and improve air and water quality.

Rationale: Designing redevelopment and infill sites to increase connections to adjacent land uses, parks and public spaces through non-automotive related transportation choices (bike paths, pedestrian walkways, etc.) can improve environmental quality. Sites should also seek to provide links to mass transit when available, and provide commuter amenities such as bus shelters or bike racks. In addition, site designers may also wish to explore alternate pathway options for pedestrian movement, rather than the traditional sidewalk on both sides of the street.

Consensus Statement

As members of the Redevelopment Roundtable, we acknowledge the Smart Site Practices as sound and practical redevelopment and infill techniques that can help maintain natural areas, reduce the effects of stormwater runoff, and protect local

streams, lakes, wetlands and estuaries. We believe that the technical and case study information provided in these Smart Site Practices are based on sound research and encourage developers, environmental organizations, government agencies and the general public to utilize and promote the dissemination of the practices. The recommendations of the Redevelopment Roundtable reflect our professional and personal experience with redevelopment and infill and do not necessarily carry the endorsement of the organizations and agencies represented by their members.

Members of the Redevelopment and Infill Roundtable

Adrienne Bell

Struever Brothers, Eccles & Rouse

Kathy Blaha

Trust for Public Land

David Bulova

Northern Virginia Regional Commission

Cheryl Cort

Chesapeake Bay Foundation

Glenn Coyne, AICP

American Planning Association

Bruce Douglas

Office of Comprehensive Planning, County of Fairfax

Larry Gavan

Virginia Department of Conservation and Recreation

Ed Gilliland

International Economic Development Council

Ben Hamm

U.S. EPA Brownfields Program

Wink Hastings

National Park Service

George Holback

Cho, Benn & Holback

Ed Jackson, Jr., Arch. D.

The American Institute of Architects

Sven-Erik Kaiser

U.S. EPA Brownfields Program

Cheryl Kollin

American Forests

Karen Lewand

ALA Baltimore

Menchu Martinez

Chesapeake Bay Program

Sari McLeod

Wallace H. Campbell & Co., Inc

Bob McNamara

National Association of Home Builders

George Middendorf

Howard University

Nadejda Mishkovsky

International City/County Management Association

Lisa Nisenson

EPA, Office of Policy, Economics and Innovation

David O'Neill

Urban Land Institute

Marolyn Parson

National Association of Home Builders

Roger Platt

The Real Estate Roundtable

Lynn Richards

EPA, Office of Policy, Economics and Innovation

Neil Ridgely

Alliance for the Chesapeake Bay

Brad Rogers

1000 Friends of Maryland

Andrea Ryon

Metropolitan Washington Council of Governments

Bill Stack

Baltimore Dept. of Public Works

Nancy Stoner

Natural Resources Defense Council

Susan Van Buren

Maryland Department of Planning

Javier Velez

EPA, Office of Policy, Economics & Innovation

Susan Williams

City of Baltimore Department of Planning

APPENDIX C

ALTERNATIVE SCORING GUIDANCE FOR SMALL COMMUNITIES

ALTERNATIVE SCORING GUIDANCE FOR SMALL COMMUNITIES		
No.	Name	Guidance
4	Comparative subwatershed analysis	Award one point if community has used GIS maps generated by regional or state agency as part of its planning process.
5	Dedicated staffing for watershed coordination	Award one point if staffing for watershed coordination is handled by local volunteer or watershed group
7	Watershed-based GIS mapping	Award one point if paper maps are used or community can access GIS information from another jurisdiction or agency
8	Tracking of restoration information	Award one point if information is stored in paper files that are publicly accessible
12	Evaluation of upland restoration potential	Award one point if field evaluations are conducted by volunteers/watershed group
13	Subwatershed monitoring program	Award one point if any volunteer citizen monitoring is conducted in the community or watershed
14	Aquatic indicators/watershed goals	Award one point if community utilizes regional or state agency water quality monitoring data in its watershed planning
15	Public notification of water quality problems	Award one point if this function is effectively handled by a larger regional or state agency
19	Local funding for Smart watershed programs	May check boxes even if grants or non local funds are sole source of funding support
22	Dedicated funding for restoration/reforestation	Award points if reforestation is routinely funded through grants or state assistance
26	Demonstration of innovative technology	Benchmark may not apply to small communities
30	Post-construction project evaluation	Benchmark may not apply to small communities
31	Possess discharge control authority	Does not apply, unless community is regulated as MS4 stormwater NPDES Phase II community
32	Discharge mapping and screening	Does not apply unless community is regulated as MS4 stormwater NPDES Phase II community
34	Pollution hotline and response	Point may be awarded if the community piggybacks onto existing regional or state hotline
36	Inspect and maintain stormwater practices	May not apply to non-MS4 small communities that lack a post-construction stormwater ordinance
40	Smart Site practices for redevelopment	May not apply to small communities that experience little or no redevelopment activity

ALTERNATIVE SCORING GUIDANCE FOR SMALL COMMUNITIES		
No.	Name	Guidance
42	Financial incentives for private sector	May not apply to small communities that experience little or no redevelopment activity
45	Convenient access to municipal stewardship	Award one point for each checked box for municipal service offered
48	Public access to restoration information	Award one point if staff person is designated as public liaison on local watershed issue
51	Business recognition and partnerships	Award one point if community conducts watershed outreach to business community or chamber of commerce in last year
54	Ongoing employee training	Award one point if at least one staff attends a watershed training/workshop each year
55	Emergency spill and discharge response	Award point if community coordinates with regional or state authority to effectively handle this function
56	Environmental performance policy	Benchmark does not generally apply to small communities

APPENDIX D

REVISED SMART WATERSHED SCORECARD FOR COMMUNITIES THAT LACK A PERENNIAL STREAM NETWORK

ALTERNATIVE SCORING SYSTEM FOR COMMUNITIES THAT LACK PERENNIAL STREAMS				
Benchmark No.	Description of Benchmark	Maximum Points	Points Awarded	Extra Credit
Program 1: Subwatershed Restoration Planning				
1	Subwatershed-based restoration planning	1		
2	Subwatershed planning activity	2		1
3	Clear goals driving restoration efforts	2		
4	Comparative subwatershed analysis *	1		
5	Dedicated staffing for watershed coordination *	2		
6	Watershed management structure	1		
7	Watershed-based GIS mapping system *	2		
8	Tracking of restoration information *	1		
9	Mechanism for plan adoption	1		
	<i>Subtotal</i>	13		
Program 2: Outfall and Subwatershed Field Assessments				
10	Field surveys of outfalls (1) and updated mapping (1)	2		
11	Field evaluation of upland restoration potential *	3		1
12	Assessment of stream daylighting opportunities	1		
	<i>Subtotal</i>	6		
Program 3: Watershed Monitoring and Reporting				
13	Stormwater outfall monitoring program *	2		1
14	Aquatic indicators linked to watershed goals *	1		
15	Public notification of water quality problems *	1		
16	Data management and reporting	1		
	<i>Subtotal</i>	5		
Program 4: Financing Watershed Restoration				
17	Total watershed restoration expenditures	2		2
18	Long-term funding for plan implementation	1		
19	Local funding for Smart watershed programs *	2		
	<i>Subtotal</i>	5		
Program 5: Management of Vacant Lands and Open Space				
20	Inventory of vacant lands and natural area remnants	3		
21	Brownfield and land reclamation efforts	2		
22	Dedicated funding for reforestation *	1		
23	Activity in urban stormwater forestry practices	2		1
	<i>Subtotal</i>	8		
Program 6: Stormwater Retrofitting				
24	Onsite retrofit and rooftop disconnection inventory	3		
25	Level of on-site stormwater retrofit implementation	3		1
26	Demonstration of innovative technology *	2		
	<i>Subtotal</i>	8		

ALTERNATIVE SCORING SYSTEM FOR COMMUNITIES THAT LACK PERENNIAL STREAMS				
Program 7: Stormwater Pollution Source Assessment				
27	Pollution source area monitoring	1		
28	Subwatershed pollutant loading analysis	1		1
29	Survey of watershed behavior and attitudes	1		
30	Water quality simulation modeling	1		
<i>Subtotal</i>		4		
Program 8: Illicit Discharge Detection and Elimination				
31	Possess discharge control authority *	1		
32	Discharge mapping and screening *	3		
33	Outfall reconnaissance inventory	2		
34	Pollution hotline and response *	2		
35	Activity in eliminating discharges	2		1
<i>Subtotal</i>		10		
Program 9: Watershed Maintenance, Inspection and Enforcement				
36	Inspect and maintain stormwater practices *	1		
37	Inspect and maintain restoration practices	2		
38	Water quality enforcement activity	2		1
<i>Subtotal</i>		5		
Program 10: Promote Smart Site Practices during Redevelopment				
39	Conduct audit of redevelopment codes	1		
40	Adopt Smart Site Practices for redevelopment *	1		
41	Demonstrate in municipal construction projects	2		1
42	Financial incentives for private sector *	1		
<i>Subtotal</i>		5		
Program 11: Watershed Education and Personal Stewardship				
43	Watershed education and outreach activity	3		1
44	Diversity of watershed education programs	4		
45	Convenient access to stewardship services *	2		
<i>Subtotal</i>		9		
Program 12: Public Involvement and Neighborhood Consultation				
46	Stakeholder involvement in restoration planning	2		1
47	Neighborhood consultation in restoration	2		
48	Public access to restoration information *	1		
<i>Subtotal</i>		5		
Program 13: Pollution Prevention at Stormwater Hotspots				
49	Identify and map stormwater hotspots	3		
50	Targeted business education and outreach	4		1
51	Business recognition and partnerships *	1		
<i>Subtotal</i>		8		
Program 14: Pollution Prevention at Municipal Operations				
52	Municipal pollution prevention operations	3		
53	Routine street sweeping and catch basin cleanouts	3		1
54	Ongoing employee training *	1		
55	Emergency spill and discharge response *	1		
56	Environmental management system *	1		
<i>Subtotal</i>		9		
GRAND TOTAL		100		

* benchmark may not fully apply to small communities –see Table 9 for scoring guidance for these communities

Items in bold identify scores that have been adjusted.